PRODUCT FICHE		
Energy Label Di	rective EU2010/30/EU-No65/2014 of ov	rens(*)
Brand	Beko	
Model	EDVC503S	
Energy Efficiency Index per cavity EEI cavity		95,8
Energy efficiency class		A
Energy consumption (kWh)-Conventional per cycle		-
Energy consumption (kWh)-F	orced air convection per cycle	0,76
Number of cavity		2
Heat source per cavity	Electrical	х
	Gas	
-	Mix	
Usable volume (litres)		58

(*) only for EU countries

7787586339 285374847 AA en_US

		RUCTION BOOKLET(*)	
	PRO	DUCT INFORMATION	
Comply with EU dir	ective 200	9/125/EC – Regulation No 66/2014(*))
Brand		Beko	
Model		EDVC503S	
Type of oven		Free Standing	х
Mass of the appliance	(MA) (NIct \M/c	Built-in	46,70
Number of cavity	(IVI) (Net We	reigni, kg	
Number of Cavity		Electrical	2 x
Heat source per cavity	,	Gas	Х
		Mix	
Usable volume (litres)			58
	ated oven d	equired to heat a standardised load in a uring a cycle in conventional mode per ergy)EC electric cavity	-
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity(kWh/cycle)(electric final energy) EC electric cavity		0,76	
Energy consumption r cavity of an oven durir (kWh/cycle)(gas final o	ng a cycle in	eat a standardised load in a gas-fired conventional mode per cavity (MJ/cycle) gas cavity (1)	
	ng a cycle in	eat a standardised load in a gas-fired fan-forced mode per cavity (MJ/cycle) gas cavity (1)	
Energy Efficiency Inde		-	95,8
		n for domestic electric hobs	
	ective 200	9/125/EC – Regulation No 66/2014(*))
Brand Model		Beko EDVC503S	
wodei		Electrical	х
Type of hob		Gas	
		Mix	
Number of cooking Zo	ne and or ar	ea	4
	Radiant Co	oking Zone	х
Heating Technology	Induction C	ooking Zone	
	Solid Plates	s Cooking Zone	
For circular cooking zone:	s or area:	Cooking Zone Front Left Zone	18,0
diameter of useful surface	s or area: area per	Front Left Zone Rear Left Zone	
	s or area: area per one, rounded	Front Left Zone Rear Left Zone Front Right Zone	14,0
diameter of useful surface electric heated cooking zo	s or area: area per one, rounded	Front Left Zone Rear Left Zone Front Right Zone Rear Right Zone	14,0 18,0
diameter of useful surface electric heated cooking zo	s or area: area per one, rounded	Front Left Zone Rear Left Zone Front Right Zone Rear Right Zone Right Zone	14,0
diameter of useful surface electric heated cooking zo	s or area: area per one, rounded	Front Left Zone Rear Left Zone Front Right Zone Rear Right Zone Right Zone Center Zone	14,0 18,0 -
diameter of useful surface electric heated cooking zo to the nearest 5 mm (Ø/cr	s or area: e area per one, rounded n)	Front Left Zone Rear Left Zone Front Right Zone Rear Right Zone Right Zone Center Zone Left Zone	14,0 18,0
diameter of useful surface electric heated cooking zo to the nearest 5 mm (Ø/crie) for non-circular cooking zeraes: length and width of	s or area: e area per one, rounded n)	Front Left Zone Rear Left Zone Front Right Zone Rear Right Zone Right Zone Right Zone Center Zone Left Zone Front Left Zone	14,0 18,0 - -
diameter of useful surface electric heated cooking zo to the nearest 5 mm (Ø/cr of the nearest 5 mm (Ø/cr of non-circular cooking zor non-circular cooking zoreas: length and width of surface area per electric heatens and surface area per electric heatens and surface area per electric heatens are not	s or area: e area per one, rounded n) cones or useful eated	Front Left Zone Rear Left Zone Front Right Zone Rear Right Zone Right Zone Center Zone Left Zone	14,0 18,0 - - -
diameter of useful surface electric heated cooking zo the nearest 5 mm (Ø/cr of the nearest 5 mm violettical surface). The nearest surface area is length and width of surface area per electric booking zooking zone or area, rou	s or area: e area per one, rounded n) cones or useful eated	Front Left Zone Rear Left Zone Front Right Zone Rear Right Zone Right Zone Right Zone Center Zone Left Zone Front Left Zone Rear Left Zone Rear Left Zone Rear Right Zone Rear Right Zone	14,0 18,0 - - -
diameter of useful surface electric heated cooking zo the nearest 5 mm (Ø/cr of the nearest 5 mm violettical surface). The nearest surface area is length and width of surface area per electric booking zooking zone or area, rou	s or area: e area per one, rounded n) cones or useful eated	Front Left Zone Rear Left Zone Front Right Zone Rear Right Zone Right Zone Center Zone Left Zone Left Zone Front Left Zone Rear Left Zone Rear Right Zone Rear Right Zone Rear Right Zone Rear Right Zone Reght Zone	14,0 18,0 - - - - -
diameter of useful surface electric heated cooking zo the nearest 5 mm (Ø/cr of the nearest 5 mm violettical surface). The nearest surface area is length and width of surface area per electric booking zooking zone or area, rou	s or area: e area per one, rounded n) cones or useful eeated	Front Left Zone Rear Left Zone Front Right Zone Rear Right Zone Right Zone Center Zone Left Zone Front Left Zone Front Left Zone Rear Left Zone Rear Right Zone Rear Right Zone Rear Left Zone Front Right Zone Rear Right Zone Rear Right Zone Center Zone	14,0 18,0 - - - - -
diameter of useful surface leachtic heated cooking zd to the nearest 5 mm (O/or properties) of the cooking 2 For non-circular cooking 2 greas: length and width of useful cooking zone or area, rou learnest 5 mm (LxW)CM	s or area: e area per one, rounded m)	Front Left Zone Rear Left Zone Front Right Zone Front Right Zone Rear Right Zone Right Zone Center Zone Left Zone Front Left Zone Front Left Zone Front Right Zone Rear Left Zone Rear Right Zone Right Zone Center Zone Left Zone Left Zone	14,0 18,0 - - - - - - - - -
diameter of useful surface leachtic heated cooking ze to the nearest 5 mm (Ø/cr to the nearest 5 mm (Ø/cr for non-circular cooking zereas; length and width of usurface area per electric tocoking zone or area, rou nearest 5 mm (LxW)CM	s or area: e area per one, rounded n) cones or useful eleated inded to the	Front Left Zone Rear Left Zone Front Right Zone Rear Right Zone Rear Right Zone Right Zone Center Zone Left Zone Front Left Zone Front Left Zone Front Right Zone Rear Left Zone Front Right Zone Rear Right Zone Rear Right Zone Right Zone Center Zone Left Zone Front Left Zone Front Left Zone Front Left Zone	14,0 18,0 - - - - - - - - - - - - - - - - - - -
diameter of useful surface leefcrib heated cooking z to the nearest 5 mm (O/or for non-circular cooking z reas: length and width urface area per electric trooking z cooking z one or area, rou learners 5 mm (LxW)CM	s or area: e area per one, rounded n) cones or useful eleated inded to the	Front Left Zone Rear Left Zone Front Right Zone Rear Right Zone Right Zone Center Zone Left Zone Left Zone Front Left Zone Rear Left Zone Front Right Zone Rear Right Zone Rear Right Zone Center Zone Left Zone Front Right Zone Rear Right Zone Front Right Zone Rear Right Zone Center Zone Left Zone Front Left Zone Front Left Zone	14,0 18,0 - - - - - - - - - - - - - - - - - - -
diameter of useful surface leefcrib heated cooking z to the nearest 5 mm (O/or for non-circular cooking z reas: length and width urface area per electric trooking z cooking z one or area, rou learners 5 mm (LxW)CM	s or area: e area per one, rounded n) cones or useful eleated inded to the	Front Left Zone Rear Left Zone Front Right Zone Rear Right Zone Rear Right Zone Right Zone Right Zone Center Zone Left Zone Front Left Zone Rear Left Zone Front Right Zone Rear Night Zone Right Zone Right Zone Left Zone Front Right Zone Right Zone Right Zone Center Zone Left Zone Front Left Zone Front Left Zone	14,0 18,0 - - - - - - - - - 194,3 194,1 194,1
diameter of useful surface electric heated cooking zo	s or area: e area per one, rounded n) cones or useful eleated inded to the	Front Left Zone Rear Left Zone Front Right Zone Rear Right Zone Right Zone Right Zone Center Zone Left Zone Left Zone Front Left Zone Rear Left Zone Rent Left Zone Rear Left Zone Front Left Zone Rear Left Zone Rear Right Zone Rear Right Zone Rear Right Zone Rear Right Zone	14,0 18,0 - - - - - - - - - - - - - - - - - - -
diameter of useful surface leefcrib heated cooking z to the nearest 5 mm (O/or for non-circular cooking z reas: length and width urface area per electric trooking z cooking z one or area, rou learners 5 mm (LxW)CM	s or area: e area per one, rounded n) cones or useful eleated inded to the	Front Left Zone Rear Left Zone Front Right Zone Rear Right Zone Right Zone Right Zone Center Zone Left Zone Front Left Zone Front Left Zone Rear Right Zone Rear Right Zone Rear Right Zone Rear Left Zone Front Right Zone Rear Right Zone Rear Right Zone Rear Right Zone Rear Right Zone Left Zone Front Right Zone Front Right Zone Rear Right Zone	14,0 18,0 - - - - - - - - - 194,3 194,1 194,1
diameter of useful surface leefcrib heated cooking z to the nearest 5 mm (O/or for non-circular cooking z reas: length and width urface area per electric trooking z cooking z one or area, rou learners 5 mm (LxW)CM	s or area: e area per one, rounded n) cones or useful eleated inded to the	Front Left Zone Rear Left Zone Front Right Zone Rear Right Zone Rear Right Zone Right Zone Right Zone Center Zone Left Zone Front Left Zone Front Left Zone Front Right Zone Rear Left Zone Rear Left Zone Front Right Zone Right Zone Left Zone Left Zone Left Zone Front Right Zone Right Zone Center Zone Left Zone Front Left Zone Front Right Zone Rear Right Zone Center Zone	14,0 18,0 - - - - - - - 194,3 194,1 194,3
diameter of useful surface leachtic heated cooking z to the nearest 5 mm (O/or to the nearest 5 mm (O/or to the nearest 5 mm (O/or to the nearest 5 mm (D/or to the nearest 5 mm (Exw) CM cooking z one or area, rou nearest 5 mm (Exw)/CM cooking z one or area, rou nearest 5 mm (Exw)/CM cooking z one or area calculated per kg cooking Wh/kg	s or area: s or area: area per noe, rounded n) cones or useful eated added to the	Front Left Zone Rear Left Zone Front Right Zone Rear Right Zone Right Zone Right Zone Center Zone Left Zone Front Left Zone Front Left Zone Rear Right Zone Rear Right Zone Rear Right Zone Rear Left Zone Front Right Zone Rear Right Zone Rear Right Zone Rear Right Zone Rear Right Zone Left Zone Front Right Zone Front Right Zone Rear Right Zone	14,0 18,0 - - - - - - - - 194,3 194,1 194,3

(*) only for EU countries

7787586339 285374847 AA en_US

PRODUCT FICHE(*)			
Energy Label Directive EU2010/30/EU-No65/2014 of ovens(*)			
Brand	Beko		
Model	EDVC503S		
Energy Efficiency Index per cavity EEI cavity		95,6	
Energy efficiency class		A	
Energy consumption (kWh)-Conventional per cycle (1)		0,65	
Energy consumption (kWh)-Forced air convection per cycle (1)		- kWh	
Number of cavity		2	
·	Electrical	х	
Heat source per cavity	Gas		
	Mix		
Usable volume (litres)		31	

(*)(*) only for EU countries 7787586339 285374848 AA en_US

INST	RUCTION BOOKLET(*)	
PRC	DUCT INFORMATION	
Comply with EU directive	ve 2009/125/EC – Regulation No 66/2014(*)
Brand	Beko	
Model	EDVC503S	
Type of oven	Free Standing	х
	Built-in	
Mass of the appliance(M) (Net Weight) kg		46,70
Number of cavity		2
•	Electrical	х
Heat source per cavity	Gas	
	Mix	
Usable volume (litres)		31
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity(kWh/cycle)(electric final energy)EC electric cavity		0,65
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity(kWh/cycle)(electric final energy) EC electric cavity		-
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (MJ/cycle) (kWh/cycle)(gas final energy) EC gas cavity (1)		0,0 MJ
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (MJ/cycle) ((kWh/cycle)(gas final energy) EC gas cavity (1)		0,0 MJ
		- kWh
Energy Efficiency Index per cavity	EEI cavity	95,6
(1) 1 kWh/cycle = 3,6 MJ/cycle.		

(*)(*) only for EU countries

7787586339 285374848 AA en_US