

Series 9, Integrated Tall Single DishDrawer Dishwasher

Series 9 | Integrated




Integrating into your kitchen design seamlessly, with extra height for larger dishes in the tall top drawer.

- With extra height for taller dishes, and customisable internal shelving
- Knock to pause function is perfect if you miss a dish
- Quick wash, Sanitise and Extra Dry options provide superior performance
- Customise with your own front panel and handle to match your kitchen cabinetry, or choose our stainless steel panel

DIMENSIONS

| | |
|--------|--------|
| Height | 454 mm |
| Width | 599 mm |
| Depth | 553 mm |



FEATURES & BENEFITS

Seamless Integration

Slide your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry, for a seamless look whilst delivering superior dish care.

Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

QUICK, SANITISE AND EXTRA DRY OPTIONS

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock To Pause

These DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

Quiet Performer

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

- Cutlery basket
- Knife clip and multipurpose clip

Accessories (sold separately)

| | |
|--|------------|
| Door panel black stainless steel | ADDD60STPB |
| Door panel recessed handle black stainless steel | ADDD60STNB |
| Door panel recessed handle matte black glass | ADDD60STZB |

| | | | | | |
|--|-----------------------|----------------------------------|------------|---|--|
| Door panel recessed handle stainless steel | ADDD60STNX | Internal wash selector | • | Wash Program Modifiers | |
| Door panel stainless steel | ADDD60STPX | Keylock | • | Extra Dry | • |
| Handle kit Classic | AHCL-DDDW-60X | Knock to pause | • | Quick | • |
| Handle kit Contemporary round, aluminium | AHS-OBDD-60S | Rinse aid indicator light | • | Sanitise | • |
| Handle kit Contemporary square fine, aluminium | AHD5-OBDD-60SX | Smart appliance | • | Wash modifiers | 3 |
| Handle kit Contemporary square fine, black | AHD5-OBDD-60SB | | | | |
| Handle kit Contemporary square, aluminium | AHD3-OBDD-60S | Features | | Wash Programs | |
| Handle kit Contemporary square, black | AHD3-OBDD-60B | Built-in water softener | • | Delicate | • |
| | | Fan assisted drying | • | Eco | • |
| | | Flood protection | • | Fast | • |
| | | Flow through detergent dispenser | • | Heavy | • |
| | | Motor type | BLDC | Medium | • |
| | | Quiet operation | • | Rinse | • |
| | | SmartDrive™ technology | • | Wash programs | 6 |
| | | | | | |
| Capacity and loading | | Performance | | Water connection | |
| Accommodates round plates up to | 310mm | Noise emissions | 43 dBA | Water pressure | 100kPa - 1000kPa |
| Adjustable height, foldable cupracks | • | | | Water supply | 3/4" BSP (20mm) Connector Water Inlet Hose |
| Fold down tines | • | Power requirements | | | |
| Pitch adjustable tines | • | Amperage | 5A | | |
| Place settings | 6 | Supply frequency | 50Hz | | |
| | | Supply voltage | 220 - 240V | SKU | 82352 |
| | | | | | |
| Consumption | | Product dimensions | | The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020 | |
| Energy rating | F | Depth | 553 mm | | |
| Energy usage | 61kWh/100 cycles | Height | 454 mm | | |
| In-use energy carbon emissions estimate | 11.8kgCO2e/100 cycles | Width | 599 mm | | |
| Water usage (per wash cycle) | 7.9L | | | | |
| | | | | | |
| Controls | | | | | |
| Electronic fault/Diagnostic indicator | • | | | | |
| End of cycle beeps | • | | | | |
| Energy saving delay start option of up to 12 hours | • | | | | |

Other product downloads available at fisherpaykel.com



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 08000 886 605 [Wwww.fisherpaykel.com](http://www.fisherpaykel.com)

- [↓](#) Declaration of Conformity
- [↓](#) Energy Label Single DishDrawer™ Dishwasher
- [↓](#) Installation Guide Single DishDrawer™ Dishwasher
- [↓](#) Product Information Sheet Single DishDrawer™ Dishwasher
- [↓](#) Quick Start Guide
- [↓](#) Revit
- [↓](#) Rhino
- [↓](#) Rhino Appliance with Door Panel and Contemporary Square Handle
- [↓](#) SketchUp
- [↓](#) SketchUp Appliance with Door Panel and Contemporary Square Handle
- [↓](#) User Guide Integrated DishDrawer™ Dishwasher
- [↓](#) Wash Program Data DishDrawer™ Dishwasher EN
- [↓](#)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.