QUICK REFERENCE GUIDE > DW60UT4HI2

# Series 9, Integrated Tall Dishwasher

Series 9 | Integrated



Designed to integrate seamlessly into your cabinetry, this tall dishwasher delivers superior wash performance and advanced drying.

- Customise with your own front panel and handle to match your kitchen cabinetry
- Eight wash programs from Heavy to Light, including Auto, 60min and Glassware
- Dry+, Sanitise, Half Load and Intensive modifiers provide extra wash options
- Wi-Fi enabled and connects with the SmartHQ<sup>™</sup> app for remote control and notifications

#### **DIMENSIONS**

 Height
 857 - 917 mm

 Width
 597 mm

 Depth
 554 mm

## **FEATURES & BENEFITS**

#### **Seamless Integration**

Customise your dishwasher with a panel and handle matching your cabinetry, for a seamless finish in your kitchen.

## **Advanced Drying**

For beautifully dry dishes every time, this dishwasher features an advanced drying system. It combines fan-assisted drying with an automatic door opening at the cycle's end. The Auto Door Open Dry feature releases excess steam, ensuring dishes are immediately ready for use or storage. An innovative air curtain channels the steam away from the adjacent benchtop, protecting your cabinetry.

#### An Exceptional Clean

This dishwasher offers eight wash programs including Glassware and Auto, which automatically senses the optimal wash settings for your dishes. The three-stage filtration system delivers a superior clean, while the rinse aid indicator reminds you to top up for beautifully clean dishes.

#### **Customise Your Wash**

Create the perfect wash with our range of modifiers, from Intensive for a thorough clean to Half Load, ideal for a partial load. The Sanitise modifier provides extra protection, killing 99.9% of bacteria\* in the final rinse, while Dry+ is great for plastic dishes. \*Certified to NSF/ANSI Standard 184

#### **Quiet Performer**

Running at a very low decibel rating, this dishwasher does its job without making a fuss. The combination of clever technology and simple mechanics means greater reliability and superior wash performance, with minimal noise.

#### Flexible Loading

Designed to fit 16 place settings, the tall height of this model lets you stack large items with ease. Adjustable racking provides flexibility for any load, with a full-width cutlery tray, height-adjustable middle rack, cup holders and wine glass supports.

#### **SPECIFICATIONS**

#### Accessories (included)

Cutlery basket • Kickstrip true

## Accessories (sold separately)

Door panel stainless steel

Handle kit Classic

Handle kit Contemporary round, aluminium

Handle kit Contemporary square fine, aluminium

Handle kit Contemporary square fine, black

Handle kit Contemporary square fine, black

Handle kit Contemporary square, aluminium

Handle kit Contemporary square, aluminium

Handle kit Contemporary square, black

ADDW60TPX

#### Capacity and loading

Accommodates round plates up to (lower basket) 325mm

QUICK REFERENCE GUIDE > DW60UT4HI2

Accommodates round plates up to (top basket)	220mm (with	Features		Dry +	•
	cutlery tray), 280mm (cutlery	Air curtain for bench protection	•	Half load	•
	tray removed)	Aquastop	•	Intensive	•
Adjustable height, foldable cupracks	•	Auto Door Open Dry	•	Sanitise	•
Easy lift adjustable upper basket	•	Built-in water softener	•	Wash modifiers	4
Fold down tines	•	Fan assisted drying	•		
Fold down wine racks	•	Flood protection			
Full width cutlery/utensil tray	•	Fully independent spray arms		Wash Programs	
Large crockery insert in lower basket	•	Half load option		60 min	•
Place settings	16	·	BLDC	Auto	•
Telescopic slides	•	Motor type	BLDC .	Eco	•
Wine glass supports with stemware grippers	•	Three-stage filtration system	•	Glassware	•
		Variable wash pressure technology	•	Heavy	•
				Light	•
Consumption		Performance		Medium	•
Energy rating	В			Rinse	•
Energy usage	66kWh/100 cycles	Noise emissions	42 dBA	Wash programs	8
In-use energy carbon emissions estimate	12.8kgCO2e/100 cycles	Power requirements			
Water usage (per wash cycle)	9.5L	Amperage	10A	Water connection	
		Supply frequency	50Hz	Water pressure	30kPa - 1000 kPa
Controls		Supply voltage	220 - 240V	Water supply	3/4" BSP (20mm) Connector Water Inlet Hose
Energy saving delay start option of up to 24 hours	•	Due du et dimensione			
Floor light cycle feedback	•	Product dimensions			
Internal light	•	Depth	554 mm	SKU	82990
Internal wash selector	•	Height	857 - 917 mm		
Keylock	•	Width	597 mm		
Rinse aid indicator light	•				
Smart appliance	•	Wash Program Modifiers			

**Wash Program Modifiers** 

QUICK REFERENCE GUIDE > DW60UT4HI2

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

#### Other product downloads available at fisherpaykel.com



Declaration of Conformity Integrated Dishwasher



Energy Label Integrated Dishwasher



Installation Guide Built-Under Dishwasher



Planning Guide Dishwasher EN



Product Information Sheet Integrated Dishwasher

1

User Guide Dishwasher

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 08000 886 605 Wwww.fisherpaykel.com