

# 90cm Series 9 Classic 5 Zone Induction Pyrolytic Freestanding Cooker, 2 SmartZones

Series 9 | Classic



<p>Classic styling with a large capacity oven, this is the perfect choice for those who love to cook.</p>

- Five cooking zones that can be paired to form SmartZones
- Convection oven with 140L total capacity, and nine functions plus Rotisserie
- Non-tip full-extension shelves for safe removal of hot dishes

- High-temperature self-cleaning oven cycle breaks down food residue for an easy clean

## DIMENSIONS

Height	898 - 946 mm
Width	897 mm
Depth	600 mm

## FEATURES & BENEFITS

### Multi-Shelf Cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfectly as food cooking on the bottom shelf.

### Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable hob and glowing halo dials all add up to an exceptional, premium range.

### Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned hob controls let you sear, stir fry or simmer a delicate sauce to perfection.

### Easy To Clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The pyrolytic self-clean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

### Complementary Design

Combining traditional aesthetics and modern performance, this Classic style freestanding range cooker is the perfect centrepiece for your unique kitchen design.

### Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

### Multi-Function Flexibility

No matter what you are cooking, you have the right heat to match thanks to nine oven functions plus Rotisserie, including Pastry Bake with Pizza Mode and Rapid Proof for making bread.

### Large, Flexible Cooking Area

SmartZone links two cooking zones and controls them as one, giving you the flexibility to use large pans and griddles and easily handle bigger food items such as a whole fish.

## SPECIFICATIONS

### Accessories (included)

Flat wire shelf	1
Full extension telescopic shelves	2 sets (part 578744)
Grill rack	TRUE
Rotisserie set	1 set
Step down wire shelf	•

### Accessories (sold separately)

Kick strip, black (optional)	KICKOR90B1
------------------------------	------------

### Capacity

Shelf positions	6	Sabbath mode	•	Rapid proof	•
Total capacity	140 L	Toughened fused glass graphics	•	Roast	•
Usable capacity	120 L	Turned stainless steel clock buttons	•	Rotisserie	•
		Turned stainless steel clock crown (dial)	•	True convection	•
Cleaning		Installation Dimensions		Oven performance	
Acid resistant graphite enamel	•	Installation cutout dimensions (Depth)	600 mm	CoolTouch door	Quadruple glazed
Drop down grill element	•	Installation cutout dimensions (Width)	900 mm	Grill power	4500W
Flat easy clean glass surface	•			Warming drawer power	202 W
Pyrolytic proof shelf runners	•	Oven features		Power requirements	
Pyrolytic self-clean	•	AeroTech™ technology	•	Amperage	68 A
Removable oven door	•	Automatic rapid pre-heat	•	Supply frequency	50 Hz
Removable oven door inner glass	•	Bright chromed, cast zinc dials with illuminated halos	•	Supply voltage	220 - 240 V
Removable shelf runners	•	Convection	•	Product dimensions	
		Electronic oven control	•	Depth	600 mm
Consumption		Soft open/close door	•	Height	898 - 946 mm
Energy rating	A	True convection	•	Width	897 mm
Energy usage	1.62kWh/cycle	Twin cavity fans	•	Rangetop features	
In-use energy carbon emissions estimate	0.3kgCO2e/cycle	Warming drawer	•	Auto heat reduce	•
Controls		Oven functions		Dual colour display	•
Audio feedback	•	Bake	•	Gentle heat	•
Automatic cooking/minute timer	•	Fan bake	•	Heat settings	9
Automatic pre-set temperatures	•	Fan forced	•	Hob rail	•
Celsius/Fahrenheit temperature	•	fanGrill	•	Hob rear trim	60 mm
Electronic clock	•	Grill	•		
High resolution display	•	Number of functions	9		
Laser etched graphics	•	Pastry Bake with Pizza mode	•		
Precise electronic temperature control	•				

- Induction cooking technology
- Zone bridging

Rangetop Performance

Centre	2300 W
Left front zone rating	1600 (1850) W
Left rear zone rating	2100 (3000) W
Number of cooking zones	5
PowerBoost all zones	up to 3000 W
Right front zone rating	1600 (1850) W
Right rear zone rating	2100 (3000) W

Safety

- ADA compliant
- Advanced cooling system
- Anti-tilt bracket
- Balanced oven door
- Child lock
- CoolTouch door
- Full extension telescopic sliding shelves
- Non-tip shelves
- Pan detection system
- Safety time out
- Spill containment12 L
- Spillage auto off
- Surface hot indicators

SKU82226

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at [fisherpaykel.com](https://fisherpaykel.com)

- 2D-DWG Induction Range
- 2D-DXF Induction Range
- Energy Label
- Installation Guide Freestanding Cooker
- User Guide Freestanding Cooker
- Declaration of Conformity

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



**A PEACE OF MIND SALE**  
24 Hours 7 Days a Week Customer Support  
T 08000 886 605 W [www.fisherpaykel.com](https://www.fisherpaykel.com)