

90cm Series 9 Contemporary 5 Burner Dual Fuel Pyrolytic Freestanding Cooker

Series 9 | Contemporary




- Get the best of both worlds with dual fuel. A gas hob with wok burner is paired with a convection oven with 9 functions.
- Five burner cooktop with dual wok burner and two powerful triple ring burners
 - Convection oven with 140L total capacity and nine oven functions plus rotisserie, including Pastry Bake™ with pizza mode
 - Non-tip full-extension shelves for safe removal of hot dishes

- Pyrolytic self-clean that breaks down food residue for an easy clean

DIMENSIONS

Height	898 - 946 mm
Width	897 mm
Depth	600 mm



FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfect as food cooking on the bottom shelf.

Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, precise electric temperature control and chromed cast zinc dials all add up to an exceptional, premium range.

Burner Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned hob controls let you sear, stir fry or simmer a delicate sauce to perfection.

Easy To Clean

Cleaning up spills is effortless. Your hob simply needs a quick wipe to keep it looking good as new. The pyrolytic self-clean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Even Heat

Accurate, electronically-controlled oven heat ensures a great result every time.

Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

SPECIFICATIONS

Accessories (included)

Flat wire shelf	1
Full extension sliding shelves	2 sets (part 578744)
Full extension telescopic shelves	2 sets (part 578744)
Grill rack	TRUE
Roasting dish	1
Rotisserie set	1 set

Small pot support	1 (part 533981 cast)	Removable oven door inner glass	•	Automatic rapid pre-heat	•
Step down wire shelf	•	Removable shelf runners	•	Electronic oven control	•
Accessories (sold separately)		Consumption		Full extension telescopic sliding shelves	
Kick strip, stainless steel (optional)	KICKOR90X1	Energy usage	1.62kWh/cycle	Soft open/close door	•
		In-use energy carbon emissions estimate	0.3kgCO2e/cycle	True convection	•
Burner ratings		Controls		Twin cavity fans	•
Dual wok burner inner/outer (LPG)	0.3 - 4.5kW	Audio feedback	•	Warming drawer	•
Dual wok burner inner/outer (natural gas)	0.4 - 4.5kW	Automatic cooking/minute timer	•	Oven functions	
Maximum burner power	4.5kW	Automatic pre-set temperatures	•	Bake	•
Semi-rapid burner (LPG)	1.2kW	Celsius/Fahrenheit temperature	•	Energy slow cook	•
Semi-rapid burner (natural gas)	1.2kW	Electronic clock	•	Fan bake	•
Total cooktop power	14.9kW	High resolution display	•	Fan forced	•
Triple ring wok burner (LPG) x2	4.0kW	Laser etched graphics	•	fanGrill	•
Triple ring wok burner (natural gas) x2	4.0kW	Precise electronic temperature control	•	Grill	•
Capacity		Sabbath mode	•	Number of functions	9
Shelf positions (main oven)	6	Turned stainless steel clock buttons	•	Pastry Bake with Pizza mode	•
Total capacity	140 L	Turned stainless steel clock crown (dial)	•	Roast	•
Usable capacity (main oven)	120 L	Turned stainless steel dials with illuminated halos	•	Rotisserie	•
Cleaning		Installation Dimensions		True convection	•
Acid resistant graphite enamel	•	Installation cutout dimensions (Depth)	600 mm	Oven performance	
Drop down grill element	•	Installation cutout dimensions (Width)	900 mm	CoolTouch door	Quadruple glazed
Pyrolytic proof shelf runners	•	Oven features		Warming drawer power	202 W
Pyrolytic self-clean	•	AeroTech™ technology	•	Power requirements	
Removable oven door	•			Amperage	23 A
				Supply frequency	50 Hz

Product details

Self Cleaning Sf Yes

Product dimensions

Depth 600 mm
Height 898 - 946 mm
Width 897 mm

Rangetop features

Brass burner spreader (power burner) •
Embossed brass burner cap (power burner) •
Hob rear trim 60 mm
LPG / Natural Gas compatible •
Sealed range top •

Safety

Advanced cooling system •
Anti-tilt bracket •
Balanced oven door •
Catalytic venting system •
CoolTouch door •
Flame failure system •
Full extension telescopic sliding shelves •
Non-tip shelves •
Spill containment 26 L

SKU 81698

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- [↓ Declaration of Conformity](#)
- [↓ Energy Label Freestanding Cooker](#)
- [↓ Energy Rating](#)
- [↓ Installation Guide](#)
- [↓ Installation Guide - Kick Strip](#)
- [↓ Product Information Sheet](#)
- [↓ Product Fiche](#)
- [↓ Revit Dual Fuel Cooker](#)
- [↓ Rhino Dual Fuel Cooker](#)
- [↓ Sketchup Dual Fuel Cooker](#)
- [↓ User Guide Dual Fuel Cooker](#)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 08000 886 605 [Wwww.fisherpaykel.com](http://www.fisherpaykel.com)