QUICK REFERENCE GUIDE > OR90SDI6X1 Date: 15.09.2025 > 1

# 90cm Series 9 Contemporary 5 Zone Induction Pyrolytic Freestanding Cooker, 2 SmartZones

Series 9 | Contemporary



Contemporary styling with a large capacity oven, this is the perfect choice for those who love to cook.

- Five cooking zones that can be paired to form SmartZones
- Convection oven with 140L total capacity, and nine functions plus Rotisserie
- Non-tip full-extension shelves for safe removal of hot dishes

 High-temperature self-cleaning oven cycle breaks down food residue for an easy clean

# **DIMENSIONS**

 Height
 898 - 946 mm

 Width
 897 mm

 Depth
 600 mm

#### **FEATURES & BENEFITS**

#### Multi-Shelf Cooking

Our AeroTech<sup>TM</sup> system circulates air evenly throughout the entire oven so dishes on the bottom shelf turn out just as perfectly as food cooked on the top shelf.

## **Quality And Durability**

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door and chromed cast zinc dials add up to an exceptional, premium range cooker.

#### **Power And Control**

Instant and immediate control from the highest to the gentlest heat. The finely tuned hob controls let you sear, stir fry or simmer a delicate sauce to perfection.

#### Easy Cleaning

Your hob simply needs a quick wipe to keep it looking good as new. The pyrolytic self-clean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

#### Complementary Design

With clean lines and complementary tonal contrasts, the timeless aesthetic of this Contemporary style range cooker supports a considered kitchen design.

# Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

# **SPECIFICATIONS**

#### Accessories (included)

Flat wire shelf	1
Full extension sliding shelves	2 sets (part 578744)
Full extension telescopic shelves	2 sets (part 578744)
Grill rack	TRUE
Roasting dish	1
Rotisserie set	1 set
Step down wire shelf	•

#### Accessories (sold separately)

Kick strip, stainless steel (optional)	KICKOR90X1
--	------------

# Capacity

Shelf positions	6
Total capacity	140 L
Usable capacity	120 L

#### Cleaning

QUICK REFERENCE GUIDE > OR90SDI6X1 Date: 15.09.2025 > 2

Acid resistant graphite enamel	•	Installation Dimensions		CoolTouch door	Quadruple glazed
Drop down grill element	•	Installation cutout dimensions (Depth)	600 mm	Warming drawer power	202 W
Flat easy clean glass surface	•	Installation cutout dimensions (Width)	900 mm		
Pyrolytic proof shelf runners	•				
Pyrolytic self-clean	•			Power requirements	
Removable oven door	•	Oven features		Amperage	68 A
Removable oven door inner glass	•	AeroTech™ technology	•	Supply frequency	50 Hz
Removable shelf runners	•	Automatic rapid pre-heat	•		
		Electronic oven control	•		
		Full extension telescopic sliding shelves	•	Product dimensions	
Consumption		Soft open/close door	•	Depth	600 mm
Energy rating	Α	True convection	•	Height	898 - 946 mm
Energy usage	1.62kWh/cycle	Twin cavity fans	•	Width	897 mm
In-use energy carbon emissions estimate C	0.3kgCO2e/cycle	Warming drawer	•		
				Rangetop features	
Controls		Oven functions		Auto heat reduce	•
Audio feedback	•	Bake	•	Dual colour display	•
Automatic cooking/minute timer	•	Fan bake	•	Gentle heat	•
Automatic pre-set temperatures	•	Fan forced	•	Heat settings	9
Celsius/Fahrenheit temperature	•	fanGrill	•	Hob rear trim	60 mm
Electronic clock	•	Grill	•	Induction cooking technology	•
High resolution display	•	Number of functions	9	SmartZone	1
Laser etched graphics	•	Pastry Bake with Pizza mode	•	Zone bridging	•
Precise electronic temperature control	•	Rapid proof	•		
Sabbath mode	•	Roast	•		
Toughened fused glass graphics	•	Rotisserie	•	Rangetop Performance	
Turned stainless steel clock buttons	•	True convection	•	Centre	2300 W
Turned stainless steel clock crown (dial)	•			Left front zone rating	1600 (1850) W
Turned stainless steel dials with illuminated	•			Left rear zone rating	2100 (3000) W
halos		Oven performance		Number of cooking zones	5

QUICK REFERENCE GUIDE > OR90SDI6X1 Date: 15.09.2025 > 3

PowerBoost	•
PowerBoost all zones	up to 3000 W
Right front zone rating	1600 (1850) W
Right rear zone rating	2100 (3000) W

## Safety

Advanced cooling system	•
Anti-tilt bracket	•
Balanced oven door	•
Catalytic venting system	•
Child lock	•
CoolTouch door	•
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Pan detection system	•
Safety time out	•
Spill containment	12 L
Spillage auto off	•
Surface hot indicators	•

SKU 82227

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

#### Other product downloads available at fisherpaykel.com



, Installation Guide Freestanding Cooker





# Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



# A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 08000 886 605 Wwww.fisherpaykel.com