



Dishwashers

HDSN 1L380PB-80

ENVIRONMENTAL PROPERTIES OR CHARACTERISTICS

Product recyclability

Recycled material in the product

Rare earths in the product, contains at least (mg)

Precious metals in the product, contains at least (mg)

Packaging recyclability

Recycled material in the packaging

Possibility of reusing packaging

Product name / Commercial code

MAIN FEATURES

HDSN 1L380PB-80

32900781

8016361984011

Built-in / Free standing Half-integrated

Number of place settings

Maxi Plates inserts

Product code

EAN Code

TECHNICAL FEATURES

Connectivity	Advanced remote control and extra
-	content (Wi-Fi + Bluetooth)

IoT App

13

No

Third drawerNoAdjustable upper basketYesSafety-stop of lower basketYesSelf-cleaning triple filtering systemYesDrying systemCondenserFoldable RacksNo FoldableSmart sensor systemNoControl typeLEDHingesDouble movementMaximum temperature for water intake (°C)60Plug typeUKCurrent (A)13Voltage (V)230-240PROGRAMMES AND FUNCTIONSNoNumber of programmes5Automatic programmes5Automatic programmes5Automatic programmes7Salt indicator lightYesRinse Aid indicator lightNoStart delay options3-6-9 hAntibacterial Filter (ABT)NoPower Wash/Perfect Rapid ZoneNoAquastopNoTotal water blockNoProgramme duration [hh:mm]3:10Colour of faciaWhite	Automatic door open system	No
Safety-stop of lower basketYesSelf-cleaning triple filtering systemYesDrying systemCondenserFoldable RacksNo FoldableSmart sensor systemNoControl typeLEDHingesDouble movementMaximum temperature for water intake (°C)60Plug typeUKCurrent (A)13Voltage (V)230-240PROGRAMMES AND FUNCTIONSNoNumber of programmes5Automatic programmesNoHalf loadNoEnd of cycle indicatorYes with buzzerSalt indicator lightNoStart delay options3-6-9 hAntibacterial Filter (ABT)NoPower Wash/Perfect Rapid ZoneNoAquaprotectNoAquastopNoFordal water blockNoProgramme duration [hh:mm]3:10Colour-Colour-	Third drawer	No
Self-cleaning triple filtering systemYesDrying systemCondenserFoldable RacksNo FoldableSmart sensor systemNoControl typeLEDHingesDouble movementMaximum temperature for water intake (°C)60Plug typeUKCurrent (A)13Voltage (V)230-240PROGRAMMES AND FUNCTIONSNumber of programmes5Automatic programmesNoEnd of cycle indicatorYes with buzzerSalt indicator lightNoStart delay options3-6-9 hAntibacterial Filter (ABT)NoPower Wash/Perfect Rapid ZoneNoAquastopNoTotal water blockNoProgramme duration [hh:mm]3:10ColourAESTHETICColour-	Adjustable upper basket	Yes
Drying systemCondenserFoldable RacksNo FoldableSmart sensor systemNoControl typeLEDHingesDouble movementMaximum temperature for water intake (°C)60Plug typeUKCurrent (A)13Voltage (V)230-240PROGRAMMES AND FUNCTIONSNumber of programmes5Automatic programmes5Automatic programmesNoEnd of cycle indicatorYes with buzzerSalt indicator lightYesRinse Aid indicator lightNoStart delay options3-6-9 hAntibacterial Filter (ABT)NoPower Wash/Perfect Rapid ZoneNoAquastopNoTotal water blockNoProgramme duration [hh:mm]3:10Colour-	Safety-stop of lower basket	Yes
Foldable RacksNo FoldableSmart sensor systemNoControl typeLEDHingesDouble movementMaximum temperature for water intake (°C)60Plug typeUKCurrent (A)13Voltage (V)230-240PROGRAMMES AND FUNCTIONSNumber of programmes5Automatic programmesNoHalf loadNoEnd of cycle indicatorYes with buzzerSalt indicator lightYesRinse Aid indicator lightNoStart delay options3-6-9 hAntibacterial Filter (ABT)NoPower Wash/Perfect Rapid ZoneNoAquastopNoTotal water blockNoProgramme duration [hh:mm]3:10AESTHETICColourColour-	Self-cleaning triple filtering system	Yes
Smart sensor systemNoControl typeLEDHingesDouble movementMaximum temperature for water intake (°C)60Plug typeUKCurrent (A)13Voltage (V)230-240PROGRAMMES AND FUNCTIONSNumber of programmes5Automatic programmes5Automatic programmesNoHalf loadNoEnd of cycle indicatorYessRinse Aid indicator lightYesRinse Aid indicator lightNoStart delay options3-6-9 hAntibacterial Filter (ABT)NoPower Wash/Perfect Rapid ZoneNoAquaprotectNoAquastopNoProgramme duration [hh:mm]3:10AESTHETICColourColour-	Drying system	Condenser
Control typeLEDHingesDouble movementMaximum temperature for water intake (°C)60Plug typeUKCurrent (A)13Voltage (V)230-240PROGRAMMES AND FUNCTIONSNumber of programmes5Automatic programmesNoHalf loadNoEnd of cycle indicatorYessRinse Aid indicator lightYesRinse Aid indicator lightNoStart delay options3-6-9 hAntibacterial Filter (ABT)NoPower Wash/Perfect Rapid ZoneNoAquaprotectNoAquastopNoProgramme duration [hh:mm]3:10Colour-	Foldable Racks	No Foldable
HingesDouble movementMaximum temperature for water intake (°C)60Plug typeUKCurrent (A)13Voltage (V)230-240PROGRAMMES AND FUNCTIONSNumber of programmes5Automatic programmesNoHalf loadNoEnd of cycle indicatorYes with buzzerSalt indicator lightYesRinse Aid indicator lightNoStart delay options3-6-9 hAntibacterial Filter (ABT)NoPower Wash/Perfect Rapid ZoneNoAquastopNoTotal water blockNoProgramme duration [hh:mm]3:10AESTHETICColourColour-	Smart sensor system	No
Maximum temperature for water60Plug typeUKCurrent (A)13Voltage (V)230-240PROGRAMMES AND FUNCTIONSNumber of programmes5Automatic programmesNoHalf loadNoEnd of cycle indicatorYes with buzzerSalt indicator lightYesRinse Aid indicator lightNoStart delay options3-6-9 hAntibacterial Filter (ABT)NoPower Wash/Perfect Rapid ZoneNoAquaprotectNoAquastopNoProgramme duration [hh:mm]3:10AESTHETICColourColour-	Control type	LED
intake (°C)Plug typeUKCurrent (A)13Voltage (V)230-240PROGRAMMES AND FUNCTIONSNumber of programmes5Automatic programmesNoHalf loadNoEnd of cycle indicatorYes with buzzerSalt indicator lightYesRinse Aid indicator lightNoStart delay options3-6-9 hAntibacterial Filter (ABT)NoPower Wash/Perfect Rapid ZoneNoAquaprotectNoAquastopNoTotal water blockNoProgramme duration [hh:mm]3:10AESTHETICColourColour-	Hinges	Double movement
Current (A)13Current (A)13Voltage (V)230-240PROGRAMMES AND FUNCTIONSNumber of programmes5Automatic programmesNoHalf loadNoEnd of cycle indicatorYes with buzzerSalt indicator lightYesRinse Aid indicator lightNoStart delay options3-6-9 hAntibacterial Filter (ABT)NoPower Wash/Perfect Rapid ZoneNoAquastopNoTotal water blockNoProgramme duration [hh:mm]3:10AESTHETICColourColour-		60
Voltage (V) 230-240 PROGRAMMES AND FUNCTIONS Number of programmes 5 Automatic programmes No Half load No End of cycle indicator Yes with buzzer Salt indicator light Yes Rinse Aid indicator light Yes Antibacterial Filter (ABT) Power Wash/Perfect Rapid Zone Power Wash/Perfect Rapid Zone No Aquastop No Total water block No Programme duration [hh:mm] 3:10 AESTHETIC Colour	Plug type	UK
PROGRAMMES AND FUNCTIONS Number of programmes 5 Automatic programmes No Half load No End of cycle indicator Yes with buzzer Salt indicator light Yes Rinse Aid indicator light No Start delay options 3-6-9 h Antibacterial Filter (ABT) No Power Wash/Perfect Rapid Zone No Aquaprotect No Aquastop No Programme duration [hh:mm] 3:10 Colour -	Current (A)	13
Number of programmes5Automatic programmesNoHalf loadNoEnd of cycle indicatorYes with buzzerSalt indicator lightYesRinse Aid indicator lightNoStart delay options3-6-9 hAntibacterial Filter (ABT)NoPower Wash/Perfect Rapid ZoneNoAquaprotectNoAquastopNoTotal water blockNoProgramme duration [hh:mm]3:10Colour-	Voltage (V)	230-240
Automatic programmesNoHalf loadNoEnd of cycle indicatorYes with buzzerSalt indicator lightYesRinse Aid indicator lightNoStart delay options3-6-9 hAntibacterial Filter (ABT)NoPower Wash/Perfect Rapid ZoneNoAquaprotectNoAquastopNoTotal water blockNoProgramme duration [hh:mm]3:10Colour-		PROGRAMMES AND FUNCTIONS
Half loadNoEnd of cycle indicatorYes with buzzerSalt indicator lightYesRinse Aid indicator lightNoStart delay options3-6-9 hAntibacterial Filter (ABT)NoPower Wash/Perfect Rapid ZoneNoAquaprotectNoAquastopNoTotal water blockNoProgramme duration [hh:mm]3:10AESTHETICColourColour-	Number of programmes	5
End of cycle indicatorYes with buzzerSalt indicator lightYesRinse Aid indicator lightNoStart delay options3-6-9 hAntibacterial Filter (ABT)NoPower Wash/Perfect Rapid ZoneNoAquaprotectNoAquastopNoTotal water blockNoProgramme duration [hh:mm]3:10AESTHETICColourColour-	Automatic programmes	No
Salt indicator lightYesRinse Aid indicator lightNoStart delay options3-6-9 hAntibacterial Filter (ABT)NoPower Wash/Perfect Rapid ZoneNoAquaprotectNoAquastopNoTotal water blockNoProgramme duration [hh:mm]3:10AESTHETICColourColour-	Half load	No
Rinse Aid indicator lightNoStart delay options3-6-9 hAntibacterial Filter (ABT)Antibacterial Filter (ABT)Power Wash/Perfect Rapid ZoneNoAquaprotectNoAquastopNoTotal water blockNoProgramme duration [hh:mm]3:10Colour-	End of cycle indicator	Yes with buzzer
Start delay options3-6-9 hAntibacterial Filter (ABT)Power Wash/Perfect Rapid ZoneNoAquaprotectNoAquastopNoAquastopNoTotal water blockNoProgramme duration [hh:mm]3:10AESTHETICColour	Salt indicator light	Yes
Antibacterial Filter (ABT)Power Wash/Perfect Rapid ZoneNoAquaprotectNoAquastopNoTotal water blockNoProgramme duration [hh:mm]3:10AESTHETICColourColour-	Rinse Aid indicator light	No
Power Wash/Perfect Rapid ZoneNoAquaprotectNoAquastopNoTotal water blockNoProgramme duration [hh:mm]3:10AESTHETICColour-	Start delay options	3-6-9 h
AquaprotectNoAquastopNoTotal water blockNoProgramme duration [hh:mm]3:10AESTHETICColour-		
Aquastop No Total water block No Programme duration [hh:mm] 3:10 AESTHETIC Colour	Antibacterial Filter (ABT)	
Total water block No Programme duration [hh:mm] 3:10 AESTHETIC Colour -		No
Programme duration [hh:mm] 3:10 AESTHETIC Colour -	Power Wash/Perfect Rapid Zone	
AESTHETIC Colour -	Power Wash/Perfect Rapid Zone Aquaprotect	No
Colour -	Power Wash/Perfect Rapid Zone Aquaprotect Aquastop	No No
	Power Wash/Perfect Rapid Zone Aquaprotect Aquastop Total water block	No No No
Colour of facia White	Power Wash/Perfect Rapid Zone Aquaprotect Aquastop Total water block	No No No 3:10
	Power Wash/Perfect Rapid Zone Aquaprotect Aquastop Total water block Programme duration [hh:mm]	No No No 3:10

Rear adjustable feet from front

PERFORMANCE AND CONSUMPTION

Energy efficiency classFNoise ClassDNoise level (dBA)53Energy consumption [100 cycles]103Water consumption [per cycle]11.7DIMENSIONSProduct height with worktop (mm)Product height without worktop820(mm)598Product depth (mm)570Packaged Product Height (mm)640Packaged Product Depth(mm)676Net weight (kg)32.5Gross weight (kg)34.9		
Noise level (dBA)53Energy consumption [100 cycles]103Water consumption [per cycle]11.7DIMENSIONSProduct height with worktop (mm)100Product height without worktop (mm)820Width (mm)598Product depth (mm)570Packaged Product Height (mm)896Width of the packed product (mm)640Packaged Product Depth(mm)676Net weight (kg)32.5	Energy efficiency class	F
Energy consumption [100 cycles]103Water consumption [per cycle]11.7DIMENSIONSProduct height with worktop (mm)Product height without worktop (mm)Width (mm)S98Product depth (mm)598Product depth (mm)570Packaged Product Height (mm)640Packaged Product Depth(mm)676Net weight (kg)32.5	Noise Class	D
Water consumption [per cycle]11.7DIMENSIONSProduct height with worktop (mm)Product height without worktop (mm)Width (mm)S98Product depth (mm)Product depth (mm)S70Packaged Product Height (mm)896Width of the packed product (mm)640Packaged Product Depth(mm)676Net weight (kg)32.5	Noise level (dBA)	53
Dimensional product height with worktop (mm)Product height without worktop (mm)Product height without worktop (mm)Width (mm)598Product depth (mm)570Packaged Product Height (mm)896Width of the packed product (mm)640Packaged Product Depth(mm)676Net weight (kg)32.5	Energy consumption [100 cycles]	103
Product height with worktop (mm)Product height without worktop (mm)820Width (mm)598Product depth (mm)570Packaged Product Height (mm)896Width of the packed product (mm)640Packaged Product Depth(mm)676Net weight (kg)32.5	Water consumption [per cycle]	11.7
Product height without worktop (mm)820Width (mm)598Product depth (mm)570Packaged Product Height (mm)896Width of the packed product (mm)640Packaged Product Depth(mm)676Net weight (kg)32.5		DIMENSIONS
(mm)598Width (mm)598Product depth (mm)570Packaged Product Height (mm)896Width of the packed product (mm)640Packaged Product Depth(mm)676Net weight (kg)32.5	Product height with worktop (mm)	
Product depth (mm)570Packaged Product Height (mm)896Width of the packed product (mm)640Packaged Product Depth(mm)676Net weight (kg)32.5		820
Packaged Product Height (mm)896Width of the packed product (mm)640Packaged Product Depth(mm)676Net weight (kg)32.5	Width (mm)	598
Width of the packed product (mm)640Packaged Product Depth(mm)676Net weight (kg)32.5	Product depth (mm)	570
Packaged Product Depth(mm)676Net weight (kg)32.5	Packaged Product Height (mm)	896
Net weight (kg) 32.5	Width of the packed product (mm)	640
	Packaged Product Depth(mm)	676
Gross weight (kg) 34.9	Net weight (kg)	32.5
	Gross weight (kg)	34.9