## Supplier's name or trade mark: INDESIT

## Supplier's address: VIA CARLO PISACANE, 1 20016 PERO (MI) ITALY

## Model identifier: BDE 86436X S UK N

#### General product parameters:

| Parameter   | Value                          |       | Parameter  | Value             |     |
|---|--------------------------------|-------|--|-------------------|-----|
| Rated capacity (kg)   | Rated ca-<br>pacity            | 6,0   | Dimensions in cm   | Height            | 85  |
|   | Rated<br>washing ca-<br>pacity | 8,0   |  | Width             | 60  |
|   |                                |       |  | Depth             | 54  |
| Energy Efficiency Index   | EEIW                           | 52,0  | - Energy efficiency class  | EEIW              | А   |
|   | EEI <sub>WD</sub>              | 66,9  |  | EEI <sub>WD</sub> | D   |
| Washing efficiency index  | IW                             | 1,031 | Rinsing effectiveness (g/kg dry tex-<br>tile)  | I <sub>R</sub>    | 4,9 |
|   | ٦M                             | 1,031 |  | J <sub>R</sub>    | 4,9 |
| Energy consumption in<br>kWh per cycle, for the<br>washing cycle of the<br>household washer-dryer,<br>using the eco 40-60 pro-<br>gramme at a combination<br>of full and partial loads. Ac-<br>tual energy consumption<br>will depend on how the ap-<br>pliance is used | 0,473                          |       | Energy consumption in kWh per cy-<br>cle, for the wash and dry cycle of the<br>household washer-dryer at a combi-<br>nation of full and half loads. Actual<br>energy consumption will depend on<br>how the appliance is used                                   | 3,072             |     |
| Water consumption in litre<br>per cycle, based on the eco<br>40-60 programme at a<br>combination of full and<br>partial loads. Actual water<br>consumption will depend<br>on how the appliance is<br>used and on the hardness<br>of the water.                          | 48                             |       | Water consumption in litre per cycle,<br>for the wash and dry cycle of the<br>household washer-dryer at a combi-<br>nation of full and half loads. Actual<br>water consumption will depend on<br>how the appliance is used and on<br>the hardness of the water | 65                |     |

| Parameter   | Value                        |      | Parameter  | Value               |      |
|---|------------------------------|------|--|---------------------|------|
| Maximum temperature in-<br>side the treated textile (°C)<br>for the washing cycle of<br>the household washer-dry-<br>er, using the eco 40-60 pro-<br>gramme | Rated<br>washing<br>capacity | 33   | Maximum temperature inside the<br>treated textile (°C) for the washing<br>cycle of the household washer-dryer,<br>using the wash and dry cycle | Rated ca-<br>pacity | 33   |
|   | Half                         | 30   |  |                     |      |
|   | Quarter                      | 23   |  | Half                | 32   |
| Spin speed (rpm)  | Rated<br>washing<br>capacity | 1351 | Weighted remaining moisture con-<br>tent (%)   | 53,0                |      |
|   | Half                         | 1351 |  |                     |      |
|   | Quarter                      | 1351 |  |                     |      |
| Eco 40-60 programme du-<br>ration (h:min)   | Rated<br>washing<br>capacity | 3:35 |  | В                   |      |
|   | Half                         | 2:48 | Spin-drying efficiency class   |                     |      |
|   | Quarter                      | 2:10 |  |                     |      |
| Airborne acoustical noise<br>emissions during the spin-<br>ning phase for the eco<br>40-60 washing cycle at rat-<br>ed washing capacity (dB(A)<br>re 1 pW)  | 75                           |      | Wash and dry cycle duration (h:min)  | Rated ca-<br>pacity | 9:20 |
|   |                              |      |  | Half                | 5:10 |
| Туре  | Free-standing                |      | Airborne acoustical noise emission<br>class for the spinning phase for the<br>eco 40-60 programme at rated wash-<br>ing capacity               | В                   |      |
| Off-mode (W) (if applica-<br>ble)   | 0,50                         |      | Standby mode (W) (if applicable)   | 0,50                |      |
| Delay start (W) (if applica-<br>ble)  | 4,00                         |      | Networked standby (W) (if applica-<br>ble)   | -                   |      |

# Minimum duration of the guarantee offered by the supplier: 24 months

| This product has been designed to release silver ions during the washing cycle | Νο |
|--|----|
|--|----|

Weblink to the supplier's website, where the information in point 9 of Annex II to Commission Regulation (EU) 2019/ 2023 is found: https://docs.whirlpool.eu