型号	Model	CE-BCD310WX-CT
基准机型编码	Model Code	22031020013306
欧洲向灯的能效等级	light and its energy class	1, F class
压缩机(是否带电容)	Compressor	DZ59A1M
气候类型	Climate Class	SN/N/ST/T
防触电保护类型	Pretection Against Electric Shock	I
额定电压/频率	Rated Voltage/Frequency	220V-240V/50Hz
额定功率（W）	Rated Power（W）	/
化霜功率（W）	Defrosting heater(W)	170(230V)
制冰机最大输入功率 （W）（制冰机等大于100W的要标注）	Rated Input Power for ice-maker(W)	/
照明额定灯功率(W)	Lamp Rated Power(W)	MAX 2W
额定电流(A)	Rated Current(A)	1.5
发泡剂	Foaming Agent	Cyclopentane
日耗电量(kWh/24h)，保留三位小数 年耗电量（kWh/a），取整	Energy Comsumption(kW·h/24h) Annual energy consumption AE [kWh/a]	0.41/150
欧盟16度日耗电量(kWh/24h)，保留三位小数	Energy consumption E16 (kWh/24h)	0.210
欧盟32度日耗电量(kWh/24h)，保留三位小数	Energy consumption E32 (kWh/24h)	0.610
辅助装置年耗电量(kWh/a)	Auxiliary energy consumption (kWh/a)	/
能耗等级	Energy Efficiency Class	C
总容积	Total Volume(L)	310
冷藏室容积(L)	Fresh food compartment Volume(L)	224
冰温室(L)	Chill compartment Volume(L)	/
冷冻室容积(L)	Freezer compartment Volume(L)	/
一星室容积(L)	one-star compartment Volume(L)	/
二星室容积(L)	two-star compartment Volume(L)	/
三星室容积(L)	three-star compartment Volume(L)	/
四星室容积(L)	four-star compartment Volume(L)	86
制冷剂,注入量（g）	Refrigerant,Amount	R600a 37g
冷冻能力（kg/24h)	Freezing Capacity(kg/24h)	3.9
负载回升时间(h)	temperature rise value(h)	8
净重(kg)	Net Weight(kg)	63.5(1 Crisper)
毛重(kg)	Gross Weight(kg)	69(1 Crisper)
薄膜包装毛重(kg)	Film package Gross Weight(kg)	/
3A/6A包装毛重(kg)	3A/6A package Gross Weight(kg)	/
1A包装毛重(kg)	1A package Gross Weight(kg)	/
噪音(dB(A)) 及噪音等级	Noise(dB(A)) and Noise Level	35/B
产品尺寸(mm) (WxDxH)	Product Overall Dimensions(mm)(WxDxH)	595x635x1880
关门预留尺寸(mm) (WxDxH) -欧洲方向填写	Space required in use (WxDxH)	795x730x2180
开门预留尺寸(mm) (WxDxH)	Overall Space required in use (mm)(	1033x1082x2180

包装箱尺寸(mm)(WxDxH)	Carton Dimensions(mm)(WxDxH)	657x688x1910double layer carton
3A/6A包装包装箱尺寸(mm) (WxDxH)	3A/6A package Carton Dimensions(mm)(WxDxH)	/
1A包装包装箱尺寸(mm) (WxDxH)	1A package Carton Dimensions(mm)(WxDxH)	/
装柜尺寸(mm)(WxDxB)	Packing Dimensions(mm)(WxDxH)	657x688x1935double layer carton