Miele

K 7125 E

Built-in refrigerator, 88 cm niche height
with LED lighting and SuperCool for more convenience.



- Optimum and maintenance-free LED lighting in compartment
- Cool food down quickly thanks to SuperCool



EAN: 4002516664239 / Material number: 12269690 /
Old Material Number: 36712505EU1

General information	
Model identifier	K 7125 E
Manufacturer material number	12269690
EAN number	4002516664239
Marketing class	Silver
Appliance category	
Refrigerator	•
Construction type	
Built-in appliance	•
Integrated appliance	•
Door hinge	right
Convertible door hinging	•
User convenience	
Fridge zone lighting	LED
Ice/Water dispenser with mains water connection	No
Control system	
Operating concept	EasyControl
SuperCool	•
No. of temperature zones	1
Party mode	•
Fridge/Fridge section	
No. of shelves	3
Number of inner door racks for tinned food	1
Door rack for bottles	1
Door shelves	2
Efficiency	
Energy efficiency class (A–G)	E
Annual energy consumption in kWh	93.15
Energy consumption in 24 h in kWh	0.25
Safety	
Acoustic door alarm	•
Technical data	
Niche width in mm min.	560
Niche width in mm max.	568
Niche height in mm min.	874
Niche height in mm max.	881
Niche depth in mm	550
Appliance dimensions (W x H x D) in mm	541 x 874 x 548
Appliance width in mm	541
Appliance height in mm	874
Appliance depth in mm	548
Weight in kg	30.6
Door hinge technology	Fixed door
Max. door front weight – refrigerator, in kg	19
Climate class	SN-ST
Refrigerator compartment in l	136
Total usable capacity in l	136
Acoustic airborne noise emission class (A–D)	B

K 7125 E
Built-in refrigerator, 88 cm niche height
with LED lighting and SuperCool for more convenience.




EAN: 4002516664239 / Material number: 12269690 /
Old Material Number: 36712505EU1


Sound emissions in dB(A) re 1 pW	35
Current consumption (mA)	700
Voltage in V	220 - 240
Fuse rating in A	10
Number of phases	1
Frequency in Hz	50
Length of supply lead in m	2.3
Accessories included	
Egg tray	•

K 7125 E

Built-in refrigerator, 88 cm niche height with LED lighting and SuperCool for more convenience.



K7118D, K7128D, K7116E, K7126E, K7117D, K7127D, K7115E, K7125E, built-in



K7118D, K7128D, K7116E, K7126E, K7117D, K7127D, K7115E, K7125E, side view

*The declared energy consumption was calculated in a 560 mm deep niche. The appliance is fully functional in a 550 mm niche but the energy consumption will be slightly higher.