


N 90, Built-in oven with added steam function, 60 x 60 cm,  
Stainless steel  
B58VT68H0B



A



Built-in oven with VarioSteam® and SLIDE&HIDE® - fuller flavour and unrestricted access to the oven interior

- ✓ Slide&Hide® - unrestricted access in the oven interior and easy handling due to rotating handle
- ✓ NEFFLight® - illumination of all four oven levels, even with the door shut
- ✓ Dual cleaning options: Pyrolytic cleaning programmes - just let the oven interior clean itself. EasyClean - the quick and easy option for day to day maintenance.
- ✓ FullTouch Control - simple, precise oven control by fingertip touch on the smooth surface of the high resolution TFT colour display.
- ✓ Home Connect – rediscover your kitchen with our connected home appliances, from wherever you are.

#### Features

##### Technical Data

Color / Material Front : Stainless steel  
 Construction type : Built-in  
 Integrated Cleaning system : Pyrolytic+Hydrolytic  
 Min. required niche size for installation (HxWxD) : 585-595 x 560-568 x 550 mm  
 Dimensions : 595 x 596 x 548 mm  
 Dimensions of the packed product (HxWxD) : 670 x 690 x 660 mm  
 Control Panel Material : Glass  
 Door Material : Glass  
 Net weight : 44.8 kg  
 Usable volume of cavity : 71 l  
 Cooking method : , 4D Hotair, Bottom heat, Bread Baking Setting, Conventional heat, Defrost, Full width grill, Half width grill, Hot Air-Eco, Hot air grilling, low temperature cooking, Pizza setting, pre-heating, Regeneration, warming  
 Oven control : electronic  
 Number of interior lights : 3  
 Length of electrical supply cord : 120.0 cm  
 EAN code : 4242004236092  
 Number of cavities (2010/30/EC) : 1  
 Energy efficiency rating : A  
 Energy consumption per cycle conventional (2010/30/EC) : 0.90 kWh/cycle  
 Energy consumption per cycle forced air convection (2010/30/EC) : 0.74 kWh/cycle  
 Energy efficiency index (2010/30/EC) : 87.1 %  
 Connection rating : 3450 W  
 Fuse protection : 16 A  
 Voltage : 220-240 V  
 Frequency : 50; 60 Hz  
 Plug type : no plug (electrical connection by electrician)  
 Included accessories : 1 x combination grid, 2 x universal pan

#### Optional accessories

Z11AB15A0 Baking tray, non-stick ceramic coated  
 Z11CR10X0 Baking and roasting grid (standard)  
 Z11SZ00X0 SeamlessCombination mounting kit  
 Z11SZ80X0 SeamlessCombination 60 + 29cm  
 Z11SZ90X0 SeamlessCombination 60 + 45cm  
 Z11TC10X0 ComfortFlex Rail (1 level)  
 Z12CB10A0 Baking tray, anthracite enamelled  
 Z12CM10A0 Moussaka pan, anthracite enamelled



*N 90, Built-in oven with added steam function, 60  
x 60 cm, Stainless steel  
B58VT68H0B*

**Features**
**Design**

- 5.7" TFT colour and graphics display with FullTouch control
- Cavity inner surface: enamel anthracite
- Touch control
- Slide&Hide® with rotating handle
- We recommend you to choose complementary products within N90, in order to assure an optimal design combination of your Built-In appliances.

**Features**

- HomeConnect ready on WLAN
- Door lock during pyrolytic cleaning  
Control panel lock  
Automatic safety switch off  
Residual heat indicator  
Start button  
Door contact switch
- Temperature proposal  
Actual temperature display  
Heating up indicator  
automatic programmes:  
Temperature probe
- MultiPoint MeatProbe
- Baking and roasting assistant, Automatic programmes
- NeffLight (2 x 20 Watt halogen lamps), LED light, On/off button
- Water tank empty indicator
- 4 shelf positions

**Cleaning**

- Pyrolytic cleaning
- EasyClean
- Full glass inner door

**Programmes/functions**

- Oven with 14 PC heating methods: CircoTherm®, CircoTherm® Gentle, Top/bottom heat, Conventional heat Gentle, Circo-roasting, Full surface grill, Centre surface grill, CircoTherm® intensive, Bread baking, Bottom heat, Low temperature cooking, Defrost, Plate warming, Keep warm
- Additional heating methods with steam: Reheat with steam, Dough proving
- Additional functions:  
De-scaling programme  
Drying function  
steam cooking function
- Number of automatic programmes: 14 PC
- Rapid heat
- Cooling fan

**Accessories**


- 1-level flexible telescopic rail, full extension, Stop function
- 1 x combination grid, 2 x universal pan

**Performance/technical information**

- Energy efficiency rating (acc. EU Nr. 65/2014): A  
Energy consumption per cycle in conventional mode: 0.9 kWh  
Energy consumption per cycle in fan-forced convection mode: 0.74 kWh  
Number of cavities: Main cavity  
Heat source: electrical  
Cavity volume: 71 litre
- 1 l Water tank capacity
- Location of water tank: Outside cavity
- Total connected load electric: 3.45 KW
- 120 cm Cable length
- Nominal voltage: 220 - 240 V
- Appliance dimension (hxwxh): 595 mm x 596 mm x 548 mm
- Niche dimension (hxwxh): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

N 90, Built-in oven with added steam function, 60  
x 60 cm, Stainless steel  
B58VT68H0B

## Dimensioned drawings



If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm

