

N 70, BUILT-IN WARMING DRAWER, 60 X 29 CM,  
FLEX DESIGN  
N39HA11Y1B



#### Optional accessories

Z9029MY0	FlexDesign MS 29 WD 29
Z990AAY0	SC FlexDesign AG 90 WD 29 + 60
Z990ABY0	SC FlexDesign BB 90 WD 29 + 60
Z990ADY0	SC FlexDesign DB 90 WD 29 + 60
Z990AMY0	SC FlexDesign MS 90 WD 29 + 60
Z9029BY0	FlexDesign BB 29 WD 29
Z9029AY0	FlexDesign AG 29 WD 29
Z9029DY0	FlexDesign DB 29 WD 29

#### Installation Accessories

Z9029AY0	FlexDesign AG 29 WD 29
Z9029BY0	FlexDesign BB 29 WD 29
Z9029DY0	FlexDesign DB 29 WD 29
Z9029MY0	FlexDesign MS 29 WD 29
Z990AAY0	SC FlexDesign AG 90 WD 29 + 60
Z990ABY0	SC FlexDesign BB 90 WD 29 + 60
Z990ADY0	SC FlexDesign DB 90 WD 29 + 60
Z990AMY0	SC FlexDesign MS 90 WD 29 + 60

Preheat plates and cups, so that dishes stay hot longer. Keep warm, for keeping cooked dishes warm.

- ✓ Slow Cook Programme - For tender meats, poultry, and vegetables packed with flavour and vitamins.
- ✓ Plate Warmer - Keep your food at the right temperature from kitchen to table.
- ✓ Cup Warmer - Prepare your cups for coffee and tea, whenever and wherever!
- ✓ Push & Pull – open or close your drawer with a gentle tap on its seamless surface

#### Features

##### Technical Data

Construction type: .....	Built-in
Maximum number of plates: .....	40
Maximum number of espresso cups: .....	192
Dimensions: .....	290 x 594 x 518 mm
Dimensions of the packed product (HxWxD): .	400 x 650 x 700 mm
Min. required niche size for installation (HxWxD): .	290 x 560 x 550 mm
EAN code: .....	4242004265405
Fuse protection: .....	10 A
Voltage: .....	220-240 V
Frequency: .....	50; 60 Hz
Plug type: .....	GB plug



*N 70, BUILT-IN WARMING DRAWER, 60 X 29 CM,  
FLEX DESIGN  
N39HA11Y1B*

#### Features

- Can accommodate up to:
  - -40 plates
  - -192 espresso cups

#### Design

- Flex Design
- Touch key operation
- Push-Pull opening mechanism
- User-friendly electronics: extremely
- easy and comfortable operation
- In case of installation under the worktop, installation accessory spare part no. 9001698838 is needed.

#### Programmes/functions

- Temperature control in 4 levels: ca. 30°C - 80°C (glass surface temperature)
- Favourites button - manage via Home Connect app
- Multifunctional warming drawer with the heating functions: Low temperature cooking, Keep warm, plate warming, cup warming
- Easy to clean toughened glass heating plate


#### Performance/technical information

- Total connected load electric: 0.82 KW
- Nominal voltage: 220 - 240 V
- Cavity volume: 54 l
- Loading up to 25 kg
- Appliance dimension (hxwxd): 290 mm x 594 mm x 518 mm
- Niche dimension (hxwxd): 290 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

N 70, BUILT-IN WARMING DRAWER, 60 X 29 CM,  
 FLEX DESIGN  
 N39HA11Y1B


## Dimensioned drawings

## Measurements in mm



**A: 287.5 mm**  
 Ovens with appliance height of 595 mm can be installed above the warming drawer without an intermediate floor

## Measurements in mm



**A: 287.5 mm**