

N 50, BUILT-IN DOUBLE OVEN U2ACM7HG0B



A



Double built-in oven - perfect for grilling, baking and roasting of multiple dishes at the same time.

- ✓ Dual cleaning options: Pyrolytic cleaning programmes - just let the oven interior clean itself. EasyClean - the quick and easy option for day to day maintenance.
- ✓ LCD-Display - simple, straightforward with large characters for clear reading
- ✓ Home Connect - Unleash your creativity via app.
- ✓ SinglePoint MeatProbe - ensures meats are cooked perfectly every time
- ✓ Cliprails - Place dishes exactly where you want them in your oven.

Features

Technical Data

Construction type:	Built-in
Dimensions:	888 x 594 x 550 mm
Dimensions of the packed product (HxWxD): ..	960 x 690 x 670 mm
Control Panel Material:	Glass
Door Material:	Glass
Net weight:	60.7 kg
Usable volume of cavity:	71 l
Cooking method:	Bread Baking Setting, Full width grill, CircoTherm® gentle, Hot Air, Conventional heat, Pizza setting, Bottom heat, Hot air grilling
Oven control:	electronic
Number of interior lights:	1
EAN code:	4242004265160
Energy efficiency rating:	A
Energy consumption per cycle conventional (2010/30/EC):	1.02 kWh/cycle
Energy consumption per cycle forced air convection (2010/30/EC):	0.81 kWh/cycle
Energy efficiency class (2010/30/EC) - cavity 2:	B
Energy consumption per cycle conventional - cavity 2 (2010/30/EC):	0.83 kWh/cycle
Energy efficiency index (2010/30/EC):	95.3 %
Energy efficiency index cavity 2 (2010/30/EC):	120.3 %
Connection rating:	6300 W
Fuse protection:	32 A
Voltage:	220-240 V
Frequency:	50 Hz
Plug type:	no plug (electrical connection by electrician), fixed connection
Included accessories:	3 x combination grid, 1 x universal pan

Optional accessories

Z11AB15A0 Baking tray, non-stick ceramic coated, Z11AU15A0 Universal pan, non-stick ceramic coated, Z11CB10E0 Baking tray, grey enamelled, Z11CR10X0 Baking and roasting grid (standard), Z11CU10E0 Multipurpose pan, grey enamelled, Z11GT10X3 Glass roasting dish, 5,4l, Z11T115X0 Cliprails, Z1352X0 Pizza pan, grey enamelled, Z13CR10X0 Baking and roasting grid (steam), Z1608BX0 Full ext rails, level independent, Z1655CA0 Air Fry & Grill tray, Z1913X0 Baking Stone, Z19DD10X0 Steam set for ovens



N 50, BUILT-IN DOUBLE OVEN U2ACM7HG0B

Features

Features

- Temperature range 30 °C - 275 °C
- Cavity volume: 71 litre

Level independent telescopic rails

- 4 shelf positions
- 1 Clip rail, Stop function

Design

- Graphite-Grey Edition
- Elongated designed dials, Retractable control dials, Bevelled oval controls
- Cavity inner surface: enamel grey

Cleaning

- Pyrolytic cleaning
- EasyClean
- Full glass inner door

Programmes/functions

- LCD-display control (white)
- Electronic clock timer
- Temperature proposal
- Actual temperature display Heating up indicator Automatic start Temperature probe
- Bar handle
- Single-point meat probe
- Rapid heat
- Interior halogen light, On/off button
- Cooling fan
- Stainless-steel fan
- HomeConnect ready on WLAN
- 3 x combination grid, 1 x universal pan

Features

- 30 °C - Very low door temperature
- Door lock during pyrolytic cleaning
- Control panel lock Automatic safety switch off Residual heat indicator Door contact switch

Technical information

- Nominal voltage: 220 - 240 V
- Total connected load electric: 6.3 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): A
- Energy consumption per cycle in conventional mode: 1.02 kWh
- Energy consumption per cycle in fan-forced convection mode: 0.81 kWh
- Number of cavities: Main cavity Heat source: electrical Cavity volume: 71 litre

Performance/technical information

- Appliance dimension (hwxwd): 888 mm x 594 mm x 550 mm
- Niche dimension (hwxwd): 875 mm - 888 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

- We recommend you to choose complementary products within N50, in order to assure an optimal design combination of your Built-In appliances.

N 50, BUILT-IN DOUBLE OVEN
U2ACM7HG0B

Dimensioned drawings

measurements in mm

