

iQ700, Wine cooler with glass door, 212.5 x 60.3 cm
CI24WP03



Premium design built-in wine cabinet with three separately controlled temperature and humidity zones for perfect wine storage.

- ✓ Home Connect – Control your smart fridge no matter where you are.
- ✓ The glassDoor series brings effortless elegance to your kitchen.
- ✓ airFreshFilter to actively combat odours inside the refrigerator.
- ✓ Oak shelves: unique and premium presentation of your wines.
- ✓ Enjoy your wine at the perfect temperature – with adjustable temperature.

Features

Technical Data

Energy Efficiency Class: G
Average annual energy consumption in kilowatt hour per year (kWh/a): 155 kWh/annum
Capacity of 75 cl bottles: 92
Airborne acoustical noise emissions : 42 dB(A) re 1 pW
Airborne acoustical noise emission class: D
Design: Built-in
Door panel options: Possible but accessory
Height: 2125 mm
Width of the appliance: 603 mm
Dimensions: 608 mm
Min. required niche size for installation (HxWxD): 2134.0 x 610 x 610 mm
Weight: 94.8 kg
Connection Rating: 300 W
Fuse protection: 10 A
Interior ventilator: Yes
Nominal power: 220-240 V
Frequency: 50-60 Hz
Length of electrical supply cord: 300.0 cm
Plug type: GARDY plug w/ earthing
Number of compressors: 1
Number of independent cooling systems: 1
Reversible Door Hinge: Yes
Interior light switch: No
EAN code: 4242003844830
Brand: Siemens
Product name / Commercial code: CI24WP03



Installation Accessories

CI10ZH10	Handle St. steel single IC6 Design
CI24Z010	Stainless steel toe kick 24"/fridge+wine
CI24Z590	St. steel doorpanel 24" wine w/o handle
CI24Z690	St. steel doorpanel 24" wine w/o handle
CI60Z000	Installation Kit SxS
CI60Z200	Heating side kit 230V EU Version
CI60Z300	Door lock for RW 414 and RW 464

iQ700, Wine cooler with glass door, 212.5 x 60.3 cm
CI24WP03

Features	
Design features • glass • UV protected tinted glass door • Fit 92 wine bottles (0.75l) • Temperature range from 5-20°C • Removable magnetic door seals - easy to clean Additional features • Home Connect: iService Remote, Remote Monitoring and Control with Wi-Fi connectivity • Sabbath mode • Economy and holiday mode • Acoustic open door warning system • 8 PC bottle shelves for 0,75 l • Right hinged door, door reversible • Fixed hinge • TFT-Display • Dimensions: 212.5 cm H x 60.3 cm W x 60.8 cm D • Niche Dimensions: 213.4 cm H x 61 cm W x 61 cm D Functions • Door aperture angle 115° Performance • Energy Efficiency Class: A kWh/yr: 171 • This appliance is intendend to be used exclusively for the storage of wine Performance and Consumption • EU19_EEK_D: G • Total Volume : 370 l • Net Fridge Volume : 370 l • Net Freezer Volume : 0 l • Annual Energy Consumption: 155 kWh/a • Climate Class: SN-T • Noise Level : 42 dB , EU19_Noise emission class_D: D	

iQ700, Wine cooler with glass door, 212.5 x 60.3 cm
CI24WP03

Dimensioned drawings

measurements in inches (mm)

23³/₄" (603)

2¹⁵/₁₆" (75)

2¹⁵/₁₆" (75)

5⁷/₈" (149)

79⁷/₈" (2029)

10¹/₈" (257)

4" (102)

24" (610 mm)

26¹¹/₁₆" (677 mm)

1¹/₈" (3 mm)

1¹/₈" (3 mm)

11³/₄" (299 mm)

23³/₄" (603 mm)

115°

90°

** Door handle must be added to this measurement

* Depends on the thickness of the unit door. 3/4" (19 mm) refers to the stainless steel door. (Special accessory.)

3/4" (19 mm)*

24" (610 mm)

84"-85¹/₁₆" (2134 mm-2164 mm)

min. 4" (102 mm)

Furniture return

A: Area for installation of power connection.

B: Recess depth depends on kitchen design. For a flush installation, the depth needs to be at least 24 inches plus the thickness of the door panel. Panel dimensions based on a standard 1/8" reveal and 4 inch toe kick. Custom panel dimensions may vary depending on kitchen reveals and toe kick. Stainless steel models contain a panel-ready base unit, ready-to-install stainless steel door(s) with a right or left door swing and handle(s).