


| Specification sheet | | Product Details | | | | | | | | | |
|-------------------------------------|---|--|---|---|---|---|---|--|---|--|---|
| Brand and Model | | Stoves | | | | | | | | | |
| Brand | | Richmond | | | | | | | | | |
| Sub-brand | | Richmond | | | | | | | | | |
| Model | | S1100Ei | | | | | | | | | |
| Summary | | | | | | | | | | | |
| Product Type | | 110cm Induction Range Cooker | | | | | | | | | |
| Short product description | | 110cm Electric Induction Range Cooker With A 5 Zone Induction Hob, Conventional Oven & Grill, Multifunction Main Oven, Fanned Second Oven and Dedicated Slow Cook Oven | | | | | | | | | |
| Key Product Benefits | | | | | | | | | | | |
| Benefit 1 | | Quad Ovens™ With 200L Total Cooking Capacity | | | | | | | | | |
| Benefit 2 | | 5 Zone Induction Hob With Touch Control | | | | | | | | | |
| Benefit 3 | | Multifunction Main Oven With Equiflow™ Technology and 11 Settings Including Pizza and Bread Proving | | | | | | | | | |
| Benefit 4 | | Maxi-Grill™ With Telescopic Sliders | | | | | | | | | |
| Benefit 5 | | Dedicated Slow Cook Oven | | | | | | | | | |
| Benefit 6 | | Pro-Trac™ Double-Extension Telescopic Sliders | | | | | | | | | |
| Benefit 7 | | Maxi Clock™ - LED Touch Control Programmer | | | | | | | | | |
| Benefit 8 | | Child Lock Safety Feature For Hob Controls | | | | | | | | | |
| Benefit 9 | | Full Width Grill Pan With Handle Included | | | | | | | | | |
| Benefit 10 | | A Rated Ovens | | | | | | | | | |
| Product Type | | Range Cooker | | | | | | | | | |
| Integrated or freestanding | | Freestanding | | | | | | | | | |
| Fuel | | Electric | | | | | | | | | |
| Number of ovens | | 4 | | | | | | | | | |
| Warranty period | | 5 Year Parts & 1 Year Labour | | | | | | | | | |
| International market | | | | | | | | | | | |
| Hob layout | | | | | | | | | | | |
| (diagram to be assigned) | | <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>2</td> <td></td> <td>5</td> </tr> <tr> <td></td> <td>3</td> <td></td> </tr> <tr> <td>1</td> <td></td> <td>4</td> </tr> </table> | 2 | | 5 | | 3 | | 1 | | 4 |
| 2 | | 5 | | | | | | | | | |
| | 3 | | | | | | | | | | |
| 1 | | 4 | | | | | | | | | |
| Cavity layout | | | | | | | | | | | |
| (diagram to be assigned) | | <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>1</td> <td>3</td> </tr> <tr> <td>2</td> <td>4</td> </tr> </table> | 1 | 3 | 2 | 4 | | | | | |
| 1 | 3 | | | | | | | | | | |
| 2 | 4 | | | | | | | | | | |
| Hob | | | | | | | | | | | |
| Hob summary | | 5 Induction Zones | | | | | | | | | |
| No of burners/elements | | 5 | | | | | | | | | |
| Hotplate type | | Framed Glass | | | | | | | | | |
| Controls position | | Hotplate | | | | | | | | | |
| Gas hob | | | | | | | | | | | |
| Burner 1 (kW) | | | | | | | | | | | |
| Burner 2 (kW) | | | | | | | | | | | |
| Burner 3 (kW) | | | | | | | | | | | |
| Burner 4 (kW) | | | | | | | | | | | |
| Burner 5 (kW) | | | | | | | | | | | |
| Burner 6 (kW) | | | | | | | | | | | |
| Burner 7 (kW) | | | | | | | | | | | |
| Burner 8 (kW) | | | | | | | | | | | |
| Enamel pan supports | | | | | | | | | | | |
| Cast iron pan supports | | | | | | | | | | | |
| Enamel burner caps | | | | | | | | | | | |
| Matte burner caps | | | | | | | | | | | |
| Flat burner caps | | | | | | | | | | | |
| Profiled burner caps | | | | | | | | | | | |
| Enamel Clamp plates | | | | | | | | | | | |
| Matte clamp plates | | | | | | | | | | | |
| Push button ignition (battery) | | | | | | | | | | | |
| Push button ignition (mains) | | | | | | | | | | | |
| Automatic ignition | | | | | | | | | | | |
| Thermocouples (Flame safety device) | | | | | | | | | | | |
| Glass lid with auto shut off | | | | | | | | | | | |
| Lid / Type | | | | | | | | | | | |
| Lid Handle / Front Trim | | | | | | | | | | | |
| Lid auto shut off | | | | | | | | | | | |
| Lid soft close | | | | | | | | | | | |
| Electric hob | | | | | | | | | | | |
| Element 1 (kW) | | Medium Induction 1.6 - 3.0 | | | | | | | | | |
| Element 2 (kW) | | Medium Induction 1.6 - 3.0 | | | | | | | | | |
| Element 3 (kW) | | Large Induction 2.3 - 3.7 | | | | | | | | | |
| Element 4 (kW) | | Small Induction 1.15 - 2.2 | | | | | | | | | |
| Element 5 (kW) | | Medium Induction 1.4 - 3.0 | | | | | | | | | |
| Element 6 (kW) | | | | | | | | | | | |
| Element 7 (kW) | | | | | | | | | | | |
| Central on/off key | | Yes | | | | | | | | | |
| Hot hob light | | | | | | | | | | | |
| Individual residual Heat Indicators | | Yes | | | | | | | | | |
| Control type (rotary or touch) | | Touch (hotplate) | | | | | | | | | |
| Digital power display | | Yes | | | | | | | | | |
| Power levels | | 10 (inc. boost) | | | | | | | | | |
| Keep warm function | | Yes | | | | | | | | | |
| Pan detection | | Yes | | | | | | | | | |
| Pan overheat detection | | Yes | | | | | | | | | |
| Child lock | | Yes | | | | | | | | | |
| Boost function | | Yes | | | | | | | | | |

| | | |
|-----------------|---|---|
| | Presets | 3 (melt/sauce, keep warm, rapid simmer) |
| | Auto heat up | Yes |
| | Auto stand by | Yes |
| | Minute minder | Yes |
| | Timer Function | Yes |
| | Bridge Function / Griddle Zone | |
| | Easy clean ceramic glass surface | Yes |
| Cavity 1 | | |
| | Position | Top left |
| | Main/second/third/fourth oven | Third |
| | Function | Conventional oven and grill |
| | Fuel | Electric |
| | No. of functions | 3 |
| | Programmable oven | |
| | Gas oven/grill | |
| | Fixed rate gas grill | |
| | Variable rate gas grill | |
| | Conventional gas oven | |
| | Automatic ignition | |
| | Flame safety device | |
| | Electric oven/grill | |
| | Fixed rate electric grill | |
| | Fixed rate dual circuit electric grill | |
| | Variable rate electric grill | |
| | Variable rate dual circuit electric grill | Yes |
| | Conventional electric oven | Yes |
| | Fanned electric oven | |
| | Defrost | |
| | Intensive bake (top, bottom & fan) | |
| | Top heat only | Yes |
| | Base heat only | |
| | Base heat with fan | |
| | Grill with fan | |
| | Light only | |
| | Slow cook | |
| | Pizza function | |
| | Keep warm/plate warm function | |
| | Bread proving | |
| | Pie setting | |
| | Meat probe | |
| | Rapid heat | |
| | Pyrolytic function | |
| | Pre-set oven setting | |
| | Energy rating | A |
| | Cavity features | |
| | Actual capacity (litres) | 41 |
| | Usable capacity (litres) | 35 |
| | Usable Cavity dimensions (HxWxD mm) | 180 x 470 x 430 |
| | Power (kW) | Oven (1.4) Grill (2.7) |
| | Energy consumption (Kwh) | 0.66 (Conventional) |
| | No of shelves | 0 |
| | No of shelf positions | 2 |
| | Telescopic shelves - Fixed | 0 |
| | Telescopic shelves - Removable/adjustable | Double extending, removable |
| | No of telescopic fixing positions | 2 |
| | Usable area of shelves (WxD mm) | 467mm x 357mm |
| | Oven light / Type | |
| | Interior finish / colour | Easy clean enamel / Black |
| | Door | |
| | Door type | Metal |
| | Door opening | Drop-down |
| | Hinge type | |
| | Arrest position | |
| | Viewing window | |
| | Door glazing number(inc. outer if applicable) | |
| | Door colour | Description colour |
| | Handle style / Colour | Metal, chrome |
| | Door outer glass | |
| | Inner glass | |
| | Cladding type | |
| | Cladding style / Colour | |
| | Door features | |
| | Screened branding | |
| | Badge brand | Stoves |
| Cavity 2 | | |
| | Position | Bottom left |
| | Main/second/third/fourth oven | Main |
| | Function | Multifunction Oven |
| | Fuel | Electric |
| | No. of functions | 13 |
| | Programmable oven | Yes |
| | Gas oven/grill | |
| | Fixed rate gas grill | |
| | Variable rate gas grill | |
| | Conventional gas oven | |
| | Automatic Ignition | |
| | Flame safety device | |
| | Electric oven/grill | |
| | Fixed rate electric grill | |
| | Fixed rate dual circuit electric grill | |
| | Variable rate electric grill | Yes |
| | Variable rate dual circuit electric grill | |
| | Conventional electric oven | Yes |
| | Fanned electric oven | Yes |
| | Defrost | Yes |
| | Intensive bake (top, bottom & fan) | Yes |
| | Top heat only | Yes |
| | Base heat only | Yes |
| | Base heat with fan | Yes |
| | Grill with fan | Yes |

| | | |
|-----------------|---|--|
| | Light only | |
| | Slow cook | Yes |
| | Pizza function | Yes |
| | Keep warm/plate warm function | Yes |
| | Bread proving | Yes |
| | Pie setting | |
| | Meat probe | |
| | Rapid heat | |
| | Pyrolytic function | |
| | Pre-set oven setting | |
| | Energy rating | A |
| | Cavity features | |
| | Actual capacity (litres) | 71 |
| | Usable capacity (litres) | 60 |
| | Usable Cavity dimensions (HxWxD mm) | 325 x 470 x 395 |
| | Power (kW) | Oven (2.0) Grill (1.7) |
| | Energy consumption (Kwh) | 0.71Kwh (Forced Air), 0.79Kwh (Conventional) |
| | No of shelves | 2 |
| | No of shelf positions | 6 |
| | Telescopic shelves - Fixed | |
| | Telescopic shelves - Removable/adjustable | Double extending, removable |
| | No of telescopic fixing positions | 4 |
| | Usable area of shelves (WxD mm) | 467mm x 357mm |
| | Oven light / Type | Yes, halogen |
| | Interior finish / colour | Easy clean enamel / Black |
| | Door | |
| | Door type | Metal |
| | Door opening | Side opening |
| | Hinge type | |
| | Arrest position | |
| | Viewing window | Yes |
| | Door glazing number(inc. outer if applicable) | 2 |
| | Door colour | Description colour |
| | Handle style / Colour | Metal, chrome |
| | Door outer glass | Yes x 1 |
| | Inner glass | Yes x 1 |
| | Cladding type | |
| | Cladding style / Colour | |
| | Door features | |
| | Screened branding | |
| | Badge brand | |
| Cavity 3 |  | |
| | Position | Top right |
| | Main/second/third/fourth oven | Second |
| | Function | Fanned Oven |
| | Fuel | Electric |
| | No. of functions | 4 |
| | Programmable oven | |
| | Gas oven/grill | |
| | Fixed rate gas grill | |
| | Variable rate gas grill | |
| | Conventional gas oven | |
| | Automatic ignition | |
| | Flame safety device | |
| | Electric oven/grill | |
| | Fixed rate electric grill | |
| | Fixed rate dual circuit electric grill | |
| | Variable rate electric grill | |
| | Variable rate dual circuit electric grill | |
| | Conventional electric oven | |
| | Fanned electric oven | Yes |
| | Defrost | |
| | Intensive bake (top, bottom & fan) | |
| | Top heat only | |
| | Base heat only | |
| | Base heat with fan | |
| | Grill with fan | |
| | Light only | |
| | Slow cook | Yes |
| | Pizza function | |
| | Keep warm/plate warm function | Yes |
| | Bread proving | Yes |
| | Pie setting | |
| | Meat probe | |
| | Rapid heat | |
| | Pyrolytic function | |
| | Pre-set oven setting | |
| | Energy rating | A |
| | Cavity features | |
| | Actual capacity (litres) | 71 |
| | Usable capacity (litres) | 64 |
| | Usable Cavity dimensions (HxWxD mm) | 350 x 470 x 395 |
| | Power (kW) | 2 |
| | Energy consumption (Kwh) | 0.75 (Forced Air) |
| | No of shelves | 2 |
| | No of shelf positions | 6 |
| | Telescopic shelves - Fixed | |
| | Telescopic shelves - Removable/adjustable | |
| | No of telescopic fixing positions | 4 |
| | Usable area of shelves (WxD mm) | 467mm x 357mm |
| | Oven light / Type | Yes, halogen |
| | Interior finish / colour | Easy clean enamel / Black |
| | Door | |
| | Door type | Metal |
| | Door opening | Side opening |
| | Hinge type | |
| | Arrest position | |
| | Viewing window | Yes |
| | Door glazing number(inc. outer if applicable) | 2 |
| | Door colour | Description colour |
| | Handle style / Colour | Metal, chrome |
| | Door outer glass | Yes |
| | Inner glass | Yes |

| | | |
|----------------------------|--|--|
| | Cladding type | |
| | Cladding style / Colour | |
| | Door features | |
| | Screened branding | |
| | Badge brand | |
| Cavity 4 | 1 | 3 |
| | 2 | 4 |
| | | |
| | | |
| | Position | Bottom right |
| | Main/second/third/fourth oven | Fourth |
| | Function | Slow cook |
| | Fuel | Electric |
| | No. of functions | 1 |
| | Programmable oven | |
| Gas oven/grill | | |
| | Fixed rate gas grill | |
| | Variable rate gas grill | |
| | Conventional gas oven | |
| | Automatic ignition | |
| | Flame safety device | |
| Electric oven/grill | | |
| | Fixed rate electric grill | |
| | Fixed rate dual circuit electric grill | |
| | Variable rate electric grill | |
| | Variable rate dual circuit electric grill | |
| | Conventional electric oven | |
| | Fanned electric oven | |
| | Defrost | |
| | Intensive bake (top, bottom & fan) | |
| | Top heat only | |
| | Base heat only | |
| | Base heat with fan | |
| | Grill with fan | |
| | Light only | |
| | Slow cook | Yes |
| | Pizza function | |
| | Keep warm/plate warm function | |
| | Bread proving | |
| | Pie setting | |
| | Meat probe | |
| | Rapid heat | |
| | Pyrolytic function | |
| | Pre-set oven setting | |
| | Energy rating | |
| Cavity features | | |
| | Actual capacity (litres) | 41 |
| | Usable capacity (litres) | 41 |
| | Cavity dimensions (HxWxD mm) | 200 x 470 x 430 |
| | Power (kW) | 0.16 |
| | Energy consumption (Kwh) | |
| | No of shelves | |
| | No of shelf positions | |
| | Telescopic shelves - Fixed | |
| | Telescopic shelves - Removable/adjustable | |
| | No of telescopic fixing positions | |
| | Usable area of shelves (WxD mm) | |
| | Oven light / Type | |
| | Interior finish / colour | Easy clean enamel / Black |
| Door | | |
| | Door type | Metal |
| | Door opening | Drop-down |
| | Hinge type | |
| | Arrest position | |
| | Viewing window | |
| | Door glazing number(inc. outer if applicable) | |
| | Door colour | Description colour |
| | Handle style / Colour | Metal, chrome |
| | Door outer glass | |
| | Inner glass | |
| | Cladding type | |
| | Cladding style / Colour | |
| | Door features | |
| | Screened branding | |
| | Badge brand | |
| Fascia | | |
| Fascia features | | |
| | Number of knobs | 6 |
| | Style of knob - colour & type | Black plastic body, chrome plastic cap |
| | Bezel - colour & type | Chrome plastic |
| | Oven/Grill markings location (knob, bezel, fascia) | Black print, on bezel |
| | Fascia material | Metal one piece pressing |
| | Fascia colour | Black gloss |
| | Cladding type | |
| | Cladding style/colour | |
| | Fascia cooling system | Yes |
| | Screened Branding or Model Name | Richmond |
| | Badge / Brand | |
| Timer | | |
| | Mechanical timer (pinger) | |
| | Analogue clock/programmer | |
| | LED clock/minute minder - cavity, size and colour | |
| | LED clock/programmer - cavity, size and colour | |
| | LED clock/programmer cook to off - cavity, size and colour | |
| | Touch control clock/programmer - cavity, size and colour | Cavity 2, large, white |
| | Touch control clock/programmer 'Cook To Off' - cavity, size and colour | |
| | Connectivity / Bluetooth | |
| | Electronic clock / programmer | |
| | Special aesthetic appearance (eg Sterling) | |
| Features | | |
| | Warming drawer/cavity | |
| | Integrated splashback | |
| | Rotisserie | |
| | ProFlex | |
| | Roll-out grill | |

| | | |
|---------------------------------------|--|---------------------|
| | Adjustable feet | Yes |
| | Retractable control knobs | |
| | Rear wheels | Yes |
| Accessories (included) | | |
| | Removable cast griddle plate | |
| | Wok cradle | |
| | Grillpan/trivet | |
| | Grillpan handle - metal | |
| | Roasting tin | |
| | Full width oven/grill pan - shallow | |
| | Full width oven/grill pan - deep | Yes, 1 |
| | Full width oven/grill pan - reversible trivet | Yes, 1 |
| | Oven/grill pan handle | Yes, 1 |
| | Cast iron pot | |
| | Grill rack | |
| | Turntable | |
| | Browning plate | |
| | Steam & Infuse | |
| | LPG Conversion kit (available separately) | |
| Removable Parts (for cleaning) | | |
| | Hob burners | |
| | Pan supports | |
| | Inner door glass | |
| | Shelves | Yes |
| | Telescopic shelves - Fixed | |
| | Telescopic shelves - Removable/adjustable | Yes |
| | Shelf guides | Yes |
| | Grill rack | |
| | Turntable | |
| | Browning plate | |
| Installation | | |
| | Gas type | |
| | Gas inlet type | |
| | Gas inlet position | |
| | LPG convertible | |
| | Hard wired | Yes |
| | Lead length | |
| | Terminal block position (looking at the front) | Rear left |
| | Electrical connection | Yes |
| | Supply voltage | 240V |
| | Supply frequency | |
| | Phase (single or 3) | Single/3 Phase |
| | Maximum rating | |
| | Total electrical power load (kW) | 15.53kw |
| | Total gas power load (kW) | |
| | Fuse size (A) | 32 |
| | Fitted 3 pin plug | |
| Literature | | |
| Handbook | | |
| | Full handbook / brand - in pack | Yes |
| | Full handbook / brand - online | |
| | Quick start guide & installation instruction | |
| | Languages | DE, FR, PL, NL, SE |
| Warranty | | |
| | Warranty card / brand | Yes - Stoves |
| | D&G Guarantee label / brand | Yes - Stoves |
| Labels | | |
| | Made In Britain Label | |
| | OEM Warranty Label | |
| | Register My Appliance Label | |
| | Wiring Diagram Label (dependant on country of destination) | |
| | Any specific labelling requirements | |
| Dimensions | | |
| Packed | | |
| | Height (mm) | 1045 |
| | Width (mm) | 1230 |
| | Depth (mm) | 740 |
| | Weight (kg) | 99.2 |
| Product | | |
| | Height (mm) | 900-930 |
| | Width (mm) | 1096 |
| | Depth (mm) | 600 |
| | Weight (kg) | 92.2 |
| Product Supply Information | | |
| | Country of origin | UK |
| | Palette quantity | 2 |
| | Layer quantity | 1 |
| | No. layers | 1 |
| Other requirements | | |
| | Countries of destination | UK/EU |
| | Conversion kit (supplied) | No |
| | Web Handbooks | No |
| | Inlet Adaptor | No |
| | Matching BI Hob new requirement | |
| Finishes & codes | | |
| Colour 1 | | Black |
| | SKU code | 44444475 |
| | EAN code | 5052263044753 |
| | AS400/Aurora model description | ST RICH S1100Ei BK |
| | Exclusive | |
| Colour 2 | | Cream |
| | SKU code | 44444476 |
| | EAN code | 5052263044760 |
| | AS400/Aurora model description | ST RICH S1100Ei CC |
| | Exclusive | |
| Colour 3 | | Anthracite |
| | SKU code | 444410257 |
| | EAN code | 5052263102576 |
| | AS400/Aurora model description | ST RICH S1100Ei Ant |
| | Exclusive | |
| Colour 4 | | |
| COMMENTS | | |
| | | |