Snoci	fication choot	Broduct Dotails
spec	ification sheet	Product Details
Brand ar	nd Model	
	Brand Sub-brand	Stoves Sterling
		Sterling
	Model	S900Ei
Summar		
	Product Type	90cm Induction Range Cooker
	Short product description	90cm Electric Induction Range Cooker With A Zone Induction Hob, Conventional Oven & Gril Multifunction Main Oven And Tall Fanned Over
	roduct Benefits	
Cy F	Benefit 1	2 Overe With 1721 Tatel Cooling Conscitu
		3 Ovens With 172L Total Cooking Capacity
	Benefit 2	5 Zone Induction Hob With Touch Control Multifunction Main Oven With Equiflow™
	Benefit 3	Technology and 11 Settings Including Pizza an
	Benefit 4	Bread Proving Titan™ Tall Fanned Oven
	Benefit 4 Benefit 5	Maxi-Grill™ With Telescopic Sliders
	Benefit 6	Pro-Trac [™] Double-Extension Telescopic Slider
	Benefit 7	Maxi Clock™ - LED Touch Control Programme
	Benefit 8 Benefit 9	Child Lock Safety Feature For Hob Controls Full Width Grill Pan With Handle Included
	Benefit 10	A Rated Ovens
	Product Type	Range Cooker
_	Integrated or freestanding Fuel	Freestanding Electric
	Fuel Number of ovens	Electric 3
	Warranty period	5 Year Parts & 1 Year Labour
	International market	
lob layo	but	
	(diagram to be assigned)	2 5 3 1 4
Cavity la	lyout	
	(diagram to be assigned)	
lob		
	Hob summary	5 Induction Zones
	No of burners/elements	5
	Hotplate type	Framed Glass
Gas	Controls position	Hotplate
Gus	Burner 1 (kW)	
	Burner 2 (kW)	
	Burner 3 (kW)	
	Burner 4 (kW) Burner 5 (kW)	
	Burner 6 (kW)	
	Burner 7 (kW)	
	Burner 8 (kW)	
	Enamel pan supports Cast iron pan supports	
	Enamel burner caps	
	Matte burner caps	
	Flat burner caps	
	Profiled burner caps Enamel Clamp plates	
	And the clamp plates	
	Push button ignition (battery)	
	Push button ignition (mains)	
_	Automatic ignition Thermocouples (Flame safety device)	
-	Glass lid with auto shut off	
	Lid / Type	
	Lid Handle / Front Trim	
-	Lid auto shut off Lid soft close	
Elect	tric hob	
	Element 1 (kW)	Medium Induction 1.6 - 3.0
	Element 2 (kW)	Medium Induction
		1.6 - 3.0 Large Induction
	Element 3 (kW)	2.3 - 3.7
	Element 4 (kW)	Small Induction 1.15 - 2.2
	Floment 5 (kW)	Medium Induction
	Element 5 (kW)	1.4 - 3.0
	Element 6 (kW)	
	Element 7 (kW)	
	Central on/off key	Yes
	Central on/off key Hot hob light	
	Central on/off key Hot hob light Individual residual Heat Indicators	Yes
	Central on/off key Hot hob light	

		N N
	Keep warm function	Yes
	Pan detection	Yes
	Pan overheat detection Child lock	Yes Yes
	Boost function	Yes
	Presets	3 (melt/sauce, keep warm, rapid simmer)
	Auto heat up	Yes
	Auto stand by	Yes
	Minute minder	Yes
-	Timer Function	Yes
1	Bridge Function / Griddle Zone	
	Easy clean ceramic glass surface	Yes
avity 1	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
	Position	Top left
Ī	Main/second/third/fourth oven	Third
1	Function	Conventional oven and grill
	Fuel	Electric
	No. of functions	3
	Programmable oven	
	ren/grill	
	Fixed rate gas grill	
	Variable rate gas grill	
	Conventional gas oven	
	Automatic ignition	
	Flame safety device	
Electri	c oven/grill	
	Fixed rate electric grill	
	Fixed rate dual circuit electric grill	
	Variable rate electric grill	
	Variable rate dual circuit electric grill	Yes
	Conventional electric oven	Yes
	Fanned electric oven	
	Defrost	
	Intensive bake (top, bottom & fan)	
	Top heat only	Yes
	Base heat only	·
	Base heat with fan	
	Grill with fan	
	Light only	
	Slow cook	
	Pizza function	
	Keep warm function	
	Bread proving	
	Pie setting Most probe	
	Meat probe	
	Rapid heat	
	Pyrolytic function	
	Pre-set oven setting	
	Energy rating	Α
	features	
	Actual capacity (litres)	37
	Usable capacity (litres)	<u>31</u>
<u> </u>	Usable Cavity dimensions (HxWxD mm)	180 x 420 x 430
1 1	Power (kW)	Oven (1.4) Grill (2.7)
	Energy consumption (Kwh)	0.67 (Conventional)
	No of shelves	0
	No of shelf positions	2
	Telescopic shelves - Fixed	0
1 L	Telescopic shelves - Removable/adjustable	Double extending, removable
	No of telescopic fixing positions	2
	Usable area of shelves (WxD mm)	407mm x 357mm
	Oven light / Type	
	Interior finish / colour	Easy clean enamel / Black
Door		
	Door type	Glass with matt black capping
	Door opening	Drop-down
	Hinge type	
	Arrest position	
	Viewing window	Yes
	Door glazing number(inc. outer if applicable)	2
	Door colour	Mirrored
	Handle style / Colour	Metal, satin nickel brush effect
	Door outer glass	Yes, Stopsil (mirrored) x 1
	Inner glass	Yes x 1 Removeable
	Cladding type	L shape
	Cladding style / Colour	Description colour
	Door features	
	Screened branding	
	Badge brand	Stoves
vity 2	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	
	Position	Bottom left
	Main/second/third/fourth oven	Main
	Function	Multifunction Oven
	Fuel	Electric
	No. of functions	13
1	Programmable oven	Yes
	ren/grill	
Ī		
Gas ov	Fixed rate gas grill	
Gas ov	Fixed rate gas grill Variable rate gas grill	
Gas ov	Variable rate gas grill	
Gas ov	Variable rate gas grill Conventional gas oven	
Gas ov	Variable rate gas grill Conventional gas oven Automatic ignition	
Gas ov	Variable rate gas grill Conventional gas oven Automatic ignition Flame safety device	
Gas ov	Variable rate gas grill Conventional gas oven Automatic ignition	

Image: marked and inclusion density of a marked and inclusion densingender and and inclusion density of a marked and in				
			Variable rate electric grill	Yes
before Yes Increase Yes Top heat colv Yes Base heak (Up, pottorm fam) A				Yes
Intersour bake (top, totkin A film) Yes Bake hast only Yes Present only Yes Bake hast only Yes Bake hast only A Bake hast of the bake hast on				
Image: set of the set of t				
See host only Yes Base host with fin Yes Get with fin Yes See over with fin Yes See over with fin Yes See over find Yes Provide factorio Yes Provide factorio A Provide factorio A See over find A Get over find A Get over find A Get over find A Get over find Control Get over find Control Get over find Control No of delecoors find Control No of delecoors find Control No of delecoors find Get over find No of delecoors find Control No			Intensive bake (top, bottom & fan)	Yes
Size hask with fine Yes Girl with fine Yes Pace American American Pace American American <th></th> <th></th> <th>Top heat only</th> <th>Yes</th>			Top heat only	Yes
Size hask with fine Yes Girl with fine Yes Pace American American Pace American American <th></th> <th></th> <th>Base heat only</th> <th>Yes</th>			Base heat only	Yes
Gill with An Yes Gill with An Yes Gill with An Yes Boar cols Yes Read proving Action Read proving Second Read proving Second <td< th=""><th></th><th></th><th></th><th></th></td<>				
Image: set of the set o				
Solv cok Yes Paca function Yes Reg varm function A Provinct function A Provinct function A Image varm function <t< th=""><th></th><th></th><th></th><th>105</th></t<>				105
Image: second secon				Vac
Kesp van function Yes Pix setting A Cerky framework (tring) A Dist Setting (tring) A Setting (tring) A Dist Setting (tring) A Setting (tring) A Setting (tring) A Telescopt seting position B Telescopt seting position A Deer Deer seting (tring) B Deer seting (tring) A B Deer seting (tring) Yes B Deer seting (tring) A B Deer seting (tring) Yes B Deer seting (tring) Yes B Deer seting (tring) Yes B				
Resci proving Yes Pre-set own setting A Pre-set own setting B Pre-set own setting				
Pe setting Pesting Right had Pesting Right had Pesting Pertop Gradie A Pertop Gradie Correl (2.0) Pertop Gradie Pertop Gradie Pertop Gradie Pertop Gradie <th></th> <th></th> <th></th> <th></th>				
Mest probe A Product function A Product function A Cervity textures A Cervity textures 64 Usable capacity (thres) 54 Usable capacity (thres) 64 Usable capacity (thres) 64 Usable capacity (thres) 0.73 (forced A) 235 Prover (LA) 0.73 (forced A) 2.73				Yes
Rage/Inst A Preved coren setting A Corrent grading A Corrent grading A Unable Carby (Intex) 64 Unable Carby (Intex) 54 Unable Carby (Intex) 0.25 ± 420 × 305 Prever (Inter) 0.27 (Forced Arb) OF (Carbon) No of shift postion 0.27 (Forced Arb) OF (Carbon) No of shift postion 0.7 (Structure through) No of shift postion 0.7 (Structure through) No of shift postion 40 Unable Carbon 0.7 (Structure through) No of shift postion 40 Unable are of fields (VAD mm) 407 mm × 357 mm Description 548 expering Internet of field (VAD mm) 638 with mits thack caping Description State opering Arrist postion Yes Door opering Gaas with mits thack caping Arrist postion Yes Door opering Yes Arrist postion Yes Door opering Yes Door opering Yes				
Product function A Product function A Preserver setting 64 Value Score setting 94 Value Score setting 97 Value Score setting 97 Value Score Score setting 97 Value Score Sc				
Pre-sit oven setting A Corvity features 64 Matual capacity (lites) 0.23 (front Ah) 0.77 (Conventional) No of shekes 2.73 (front Ah) 0.77 (Conventional) No of shekes 2.73 (front Ah) 0.77 (Conventional) No of shekes 0.73 (front Ah) 0.77 (Conventional) Oven (1A) 0.73 (front Ah) 0.77 (Conventional) Oven (1A) 0.73 (front Ah) 0.77 (Conventional) Oven (1A) 1.77 (front Ah) 0.73 (front Ah) 0.77 (Conventional) Oven (1A) 1.77 (front Ah) 0.73 (front Ah) 0.74 (fro				
□ Every rating A Actual capacity (iters) 64 Jable Carly densions (iteWaD mm) 325 km 0.2385 Jable Carly densions (iteWaD mm) 325 km 0.2385 Jable Carly densions (iteWaD mm) 325 km 0.2385 No of shaf position 0.21 (forced AP) 0.277 (Conventional) No of shaf position 6 Telescope Carly (item) 0.23 (forced AP) 0.277 (Conventional) No of shaf position 6 Telescope Carly (item) 0.04 (starspace item) No of shaf position 4 No of shaf position 9 Interior finh / colur Bay (force item) No of shaf position 1 Arret position Yes Arret position Yes Door colur Mala (starp colurity) Door colur Yes x 1 Removable (starp coluriy) Door			Pyrolytic function	
□ Every rating A Actual capacity (iters) 64 Jable Carly densions (iteWaD mm) 325 km 0.2385 Jable Carly densions (iteWaD mm) 325 km 0.2385 Jable Carly densions (iteWaD mm) 325 km 0.2385 No of shaf position 0.21 (forced AP) 0.277 (Conventional) No of shaf position 6 Telescope Carly (item) 0.23 (forced AP) 0.277 (Conventional) No of shaf position 6 Telescope Carly (item) 0.04 (starspace item) No of shaf position 4 No of shaf position 9 Interior finh / colur Bay (force item) No of shaf position 1 Arret position Yes Arret position Yes Door colur Mala (starp colurity) Door colur Yes x 1 Removable (starp coluriy) Door			Pre-set oven setting	
Contry features 64 Actual opacity (itres) 64 Usable capacity (itres) 64 Usable capacity (itres) 64 Usable capacity (itres) 63 Energy consumption (tel/WD mm) 22 x 420 x 395 Wo of shelves 20 No of shelves 20 Open influe 407m 33 Open influe 407m 33 Open influe 407m 33 Open influe 1000 mm) Door opening 1000 mm) Door opening 1000 mm) Neess opening 1000 mm) <t< th=""><th></th><th></th><th>Energy rating</th><th>А</th></t<>			Energy rating	А
Actual capachy (itres) 64 Uable Carly (itres) 54 Uable Carly (itres) 32 x 420 x 395 Prover (W) 0 cran (2.0) Energy consumption (itch) 0.73 (freed An 177 (Conventional)) No of body Socials 2 Telescopic shelves - Freed 0 Telescopic shelves - Freed Actions 4 Uable Extending, removable (adjustable) Double extending, removable No of shelves - Freed Actions 4 Uable Extending, removable 40mm x 357mm Dever Spirit, Type Yes, halogam Door opening Gies were (VAD mm) Arrest position Yes Door opening Side opening Hinge Upe Yes Arrest position Yes Use of shore - Social		Cavity		
Isable capach/(intro) 54 Usable capach/(intro) 325 x 420 x 353 Power (WV) Oven (2.0) Entroy consumption (Kwh) 0.73 (thread Arl 3.77 (Conventional)) 10 of 340% 2 11 Celescopic Arbites - Fixed 0 12 Celescopic Arbites - Fixed 0 13 Celescopic Arbites - Fixed 0 14 Celescopic Arbites - Fixed Arl 3.77 (Conventional) 4 14 Celescopic Arbites - Fixed Arl 3.77 (Conventional) 4 15 Celescopic Arbites - Fixed Arl 3.77 (Conventional) 4 14 Celescopic Arbites - Fixed Arl 3.77 (Conventional) 4 15 Celescopic Arbites - Fixed Arl 3.77 (Conventional) 4 16 Celescopic Arbites - Fixed Arl 3.77 (Conventional) 4 16 Celescopic Arbites - Fixed Arl 3.77 (Conventional) 4 17 Celescopic Arbites - Fixed Arl 3.77 (Conventional) 4 18 Celescopic Arbites - Fixed Arl 3.77 (Conventional) 180(K) 19 Celescopic Arbites - Fixed Arl 3.77 (Conventional) 4 10 Celescopic Arbites - Fixed Arl 3.77 (Conventional) 180(K) 10 Celescopic Arbites - Fixed Arl 3.77 (Conventional) 180(K) 10 Celescopic Arbites - Fixed Arl 3.77 (Conventional) 180(K) 10 Celescopic Arbites - Fixed Arl 3.77 (Conventional) 180(K) 10 Conventional Arbites - Fixed Arl 3.77 (Conventional)				
Usable Carky demonstore (th/WbD mm) 22 X 429 X 395 Power (WV) Oven (2.0) Get (W) Get (1.7) Boor open (2.0) Get (1.7) Boor open (2.0) Get (1.7) Boor open (2.0) 0.73 (Fored AIP) Do open (2.0) 0.73 (Fored AIP) Boor open (2.0) 0.73 (Fored AIP) Do open (2.0) 40 (Fored AIP) Do open (2.0) 40 (Fored AIP) Do open (2.0) Easy (Conventional) Do open (2.0) Easy (Conventional) Do open (2.0) Easy (Conventional) Hinge tope Easy (Conventional) Hinge tope 2 Arret position Yes Door open (2.0) Minrored Hinge tope 2 Cadding type Colar Door open (2.0) Minrored Door open (2.0) Minrored <th></th> <th></th> <th></th> <th></th>				
Image: Second Secon				
Prover (VW) Geni (1,7) Energy cosumption (Kmh) 0.7.3 (Force AP 0.77.3 (Conventional)) No of shelpes - France 2 Telescopic shelpes - Francevologizadjustable Double extending, removable Telescopic shelpes - Francevologizadjustable Double extending, removable Overs 180/17 (Type Yes, hologen Derer Glass start matt back capping Derer Glass with matt back capping Derer for finish / colour Easy clean examel / Black Derer for finish / colour Yes Derer for finish / colour Y			Usable Cavity dimensions (HXWXD mm)	
Image: consumption (Kinh) 0.73 (Forced Am) 0.77 (Concentional) No of belows 1 Telescopic shelves - Franzia 1 Telescopic shelves - Franzia 0 No of the plant of the			Power (kW)	
No of acheles 2 No of acheles 6 Telescopic shekes - Removable/adjustable Double extending, removable No of acheles 4 No of acheles 4 Usable act of shekes (Wohm) 4407mm 357mm Open light / Type Yes, ladgem Door opening Side opening Door opening Side opening Door opening Side opening Versity 3 Side opening Versity 3 Yes Door opening Yes				
Bo of shell positions 6 Telescopic sheves - Removable/adjustable Double extending, removable No of shell positions 4 Usable area of shelves (VkD nm) 40/nm x 55/nm Oven light / Type Ves, hadge manned / Back Door loop in hight / Outour Easy Ceen manned / Back Door open in				0.73 (Forced Air) 0.77 (Conventional)
Image: Second				
Image: Second			No of shelf positions	6
Image: Telescopic shelves - Removable/adjustable Double extending, removable No of telescopic fraing positions 4 Usable area of shelves (WkD mn) 407mm x 357mm Oven light / Type Yes, haldgen Interior finish / cloaur Eary clean enamel / Black Door Eary clean enamel / Black Door Glass with matt black capping Door gening Site opening Market pose Site opening Market pose Yes Door glazing rumber(inc. outer if applicable) Yes Door cloaur Minared Door cloaur Yes X Benoveable Cadding type 1 Door cloaur Scened Badge brand Scened Postion Right Badge brand Scened Postion R				
No of telescopic fining positions 4 Usable are of shelves (Vob mm) 407mm x 357mm Oven light / Type Yes Interior fish / colour Gats with mat black capping Door opening Sile opening Hinder of the / colour Sile opening Arrest position Yes Door opening Yes Arrest position Yes Door opening Yes Arrest position Yes Door opening Yes Arrest position Yes Arrest position Yes Door outer status Yes Door outer status Yes Door outer status Yes Door fatures Intervisit Screened branding Badge brand Badge brand Yes Position Yes Badge brand Yes Intervisit Screened branding Badge brand Screened branding Badge brand Yes Intervisit Screened branding Badge bra				Double extending, removable
Usable area of shelves (WoD mm) 407mm x 357mm Over light / Type Easy clean erame! / Block Door Easy clean erame! / Block Door type Glass with matt black capping Door type Sile opening Hinne type Sile opening Arrest tooldin Yes Yes in allogen Yes Door type Yes Door tool or Yes Hinde type Yes X Henroweable Cadding type Yes X Henroweable Screened branding Second Badge brand Second Perston Right Main/second/thind/fourth oven Second Fuel Yes Xes Programmable oven Yes Canveretional as ov				
Oven light / Type Yes, halogen Door type Gass with mat black. capping Door opening Site opening Arrest position Yes Meening yindow Yes Door during Yes Door during Yes Door during window Yes Door during window Yes Door during window Yes Door during window Yes Door during site Yes Cavity 3 1 1 Image site Image site Screened branding Stage brand Eavite 3 1 1 Badge brand Stage Ford ratig as grill Stage site Image site Stage site Image site Stage site Image site Stage site Image site Stage site Stage site Stage site Image site Stage site Image site Stage site Image site Stage site Stage site Stage site </th <th></th> <th></th> <th></th> <th></th>				
Interior finis / colour Easy clean ename! / Black Door Oct type Glass with mat black capping Door type Side opening Side opening Arrest position Yes Yes Door colour Mirrored Mirrored Door colour Mirrored Mirrored Door colour Mirrored Mirrored Door colour Mirrored Yes 1 Ennowable Cadding type L shape L shape Door class Yes 1 Ennowable L shape Cadding type L shape Door claur Door features Scored branding Electric Badge brand It of the top				
Door type Giss with mat black capping Door opening Side opening Hinge type Side opening Arrest position Yes Door olgaing number(inc. outer if applicable) 2 Door colur Metal, satin nickel brach effect Door colur Metal, satin nickel brach effect Door colur Yes Handle style / Colour Description colour Door dating type L shape Cladding style / Colour Description colour Door dature alses Yes Screened brandning Badge brand Badge brand Scorend Fuelon Right Hanifescond/third/fourth oven Scorend Fuel Poston Roor fate gas grill Electric Corvertional gas oven 4 Automatic inition Fined oven Fance astety device Yes Fland terd dual circuit electric grill Yes Variable rate dual circuit electric grill Yes Variable rate dual circuit electric grill Yes Nor di				
Door type Giss with mat black capping Door opening Side opening Hinge type Side opening Arrest position Yes Door calour Mirrored Handle Style / Colour Mirrored Door calour Mirrored Handle Style / Colour Mirrored Door calour Mirrored Inner glass Yes, Stoppil (mirrored) x 1 Cadding type L shape Cadding type L shape Cadding type Screened branding Badge brand Screened branding Screened branding Scorened branding Badge brand Scorened branding Cavity 3 1 1 Postion Scorened branding Badge brand Scorened branding Cavity 3 1 1 Cavity 3 1 2 Postion Scorened branding Scorened Score	- 	Deer		
Door opening Side opening Hinge type	\vdash	Door	Deertree	Class with west black
Hinge type Yes Arrest position Yes Uewing window Yes Door calour Mirrored Handle Style / Colour Mirrored Door outer glass Yes, Stopal (mirrored) x 1 Inner glass Yes, Stopal (mirrored) x 1 Cadding type L shape Cadding type L shape Cadding type L shape Cadding type Description colour Badge brand Yes x 1 Renoveable Cavity 3 1 1 2 3 1 2 4 Description colour Cavity 3 1 1 3 1 2 4 Poston Sceneed Dranding Badge brand Electric Sceneed Dranding Cavity 3 1 1 3 2 4 1 3 2 4 1 1 Poston Sceneed Dranding Electric 6aver (griff) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 2 3 <t< th=""><th>\vdash</th><th></th><th></th><th></th></t<>	\vdash			
Arrest position Yes Door glazing number (nc. outer if applicable) 2 Door colour Minored Handle style / Colour Minored Door glazing number (nc. outer glazing numer (nc. outer (nc. outer glazing number (nc. outer (nc. outer (n				Side opening
Viewing window Yes Door colour Mirrored Handle Style / Colour Mirrored Door outer glass Yes, Stoosi (mirrored) × 1 Inner glass Yes, Stoosi (mirrored) × 1 Cadding type I.shape Cadding type I.shape Cadding type I.shape Screened branding Description colour Badge brand Description colour Screened branding Screened branding Screened branding Inter second Badge brand Screened branding Cavity 3 I I I I Screened branding Badge brand Screened branding Screened branding Cavity 3 I I Screened branding Badge brand I Screened branding Screened branding Cavity 3 I I Screened branding Image: Screened branding Image: Screened branding				
Door glazing number (mc. outer if applicable) 2 Handle style / Colour Metal, satin nicke horse flect Door outer glass Yes, Stool (mirrored) × 1 Cadding type Yes, Stool (mirrored) × 1 Cadding type / Colour Use stool (mirrored) × 1 Door features Description colour Door features Description colour Screened branding Image stool (mirrored) × 1 Badge brand Image stool (mirrored) × 1 Carvity 3 Image stool (mirrored) × 1 Badge brand Screened branding Carvity 3 Image stool (mirrored) × 1 Main/scond/third/fourth oven Right Flowd frag stool (mirrored) × 1 Sccond Flowd frag das grill Image stool (mirrored) × 1 No. of functions Image stool (mirrored) × 1 Flowd frag das grill Image stool (mirrored) × 1 Variable rate gas grill Image stool (mirrored) × 1 Variable rate destric grill Image stool (mirrored) × 1 Variable rate destric grill Image stool (mirrored) × 1 Variable rate destric grill Image stool (mirrored) × 1				
Door colour Mirrored Handle Style / Colour Metal, satin nicke brush effect. Door outer glass Yes, Stoosi (mirrored) x 1 Inner glass Yes, Stoosi (mirrored) x 1 Cadding type I.shape Cadding type I.shape Door festures Description colour Door festures Description colour Badge brand Second Colour Screened branding Second Colour Badge brand Second Colour Function Tall anned Oven Function Tall anned Oven Fuel Electric No. of functions 4 Programmable oven 4 Virable rate das grill Second Colour Carwenthonia das oven Second Colour Automatic lignition Second Colour Fixed rate dual circuit electric grill Second Colour Variable rate dual ci			Viewing window	Yes
Door colour Mirrored Handle Style / Colour Metal, satin nicke brush effect. Door outer glass Yes, Stoosi (mirrored) x 1 Inner glass Yes, Stoosi (mirrored) x 1 Cadding type I.shape Cadding type I.shape Door festures Description colour Door festures Description colour Badge brand Second Colour Screened branding Second Colour Badge brand Second Colour Function Tall anned Oven Function Tall anned Oven Fuel Electric No. of functions 4 Programmable oven 4 Virable rate das grill Second Colour Carwenthonia das oven Second Colour Automatic lignition Second Colour Fixed rate dual circuit electric grill Second Colour Variable rate dual ci			Door glazing number(inc. outer if applicable)	2
Handle style / Colour Metal, satin nicke hunse ffect Door outer glass Yes, Stool (mirrored) x 1 Inner glass Yes x 1 Removable Cadding type Lashgee Cadding type Description colour Door features: Description colour Screened branding Description colour Door features: Description colour Screened branding Image: Screened branding Badge brand Right Main/scond/thin/fourth oven Scecond Function Tall Fanned Oven Function Tall Fanned Oven Fuel Electric No. of functions 4 Freed rate gas grill Freed rate gas grill Corventional gas oven Electric Rate rate dual circuit dectric grill Freed rate dual circuit dectric grill Variable rate dual circuit dectric grill Freed rate dual circuit dectric grill Variable rate dual circuit dectric grill Yes Person Yes Defost Yes To heat only Second Yes Yes Person Yes Freed rate dual circuit dectric grill Yes Variable rate dual circuit dectric grill Yes Person Yes				Mirrored
Bor outer glass Yes, Stopsi (IntirrorP) × 1. Inter glass Yes Nemovable Cadding type I.shape Cadding type I.shape Door features Description colour Bodge brand Description colour Bodge brand Image type Cavity 3 Image type Image type Image type Bodge brand Image type Cavity 3 Image type Image type Image type Cavity 3 Image type Postion Right Main/second/third/fourth oven Second Function Tall Fanned Oven Function 4 Programmable oven 4 Variable rate gas grill Image type Variable rate gas grill Image type Variable rate gas grill Image type Variable rate destric grill Image type				
Inner glass Yes X I. Berwalele Gadding type L shape Door features Description colour Screened branding Door features Screened branding Image of the streened branding Cavity 3 Image of the streened branding Position Right Main/scond/third/fourth oven Second Function Tall Fanned Oven Fue Bestive Fact rate gas grill Image of the streened branding streened stree				
Cladding type L shape Cadding type Description colour Door features Description colour Screened branding Ended to the state of the state o				
Cladding skyle / Colour Description colour Door features				
Door features Image: Construct of the second o				
Screened branding Badge brand Covity 3 1 2 3 Position Right Main/second/third/fourth oven Screened Fuel Right Main/second/third/fourth oven Screened Fuel Electric No. of functions 1 Free Tate gas grill 1 Variable rate gas grill 1 Conventional gas oven 4 Programmable oven 2 Electric oven/grill 1 Fixed rate gas grill 1 Conventional gas oven 1 Automatic lanition 1 Fixed rate data circuit electric grill 1 Fixed rate electric grill 1 Fixed rate dual circuit electric grill 1 Variable rate electric oren 1 Conventional electric oven Yes Defrost 1 Intensive bake (top, bottom & fan) 1 Base heat only 1 <th< th=""><th>\vdash</th><th></th><th></th><th>Description colour</th></th<>	\vdash			Description colour
Badge brand Image: Construction of the second	\vdash			
Cavity 3 1 1 3 1 3 1 3 1 3 1 1 3 1 1 3 1 1 3 1 1 3 1 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1<				
Cavity 3 2 3 2 4 Position Right Right Main/second/third/fourth oven Second 1 Function Tall Fanned Oven Electric No. of functions 4 4 Gas oven/grill 1 1 Gas oven/grill 1 1 Variable rate gas grill 1 1 Conventional gas oven 1 1 Automatic anition 1 1 Flater ate gas grill 1 1 Conventional gas oven 1 1 Automatic anition 1 1 Faited rate dual circuit electric grill 1 1 Variable rate dual circuit electric grill 1 1 Variable rate dual circuit electric grill 1 1 Variable rate dual circuit electric grill 1 1 Conventional electric oven Yes 1 Defrost 1 1 1 Conventional electric grill 1 1 1 Solv cook Yes 1 1 1 <th></th> <th></th> <th>Badge brand</th> <th></th>			Badge brand	
Main/second/third/fourth oven Second Function Tall Fanned Oven Fuel Electric No. of functions 4 Programmable oven 4 Gas oven/grill 1 Fixed rate gas grill 4 Variable rate gas grill 1 Conventional gas oven 1 Automatic ignition 1 Fixed rate gas grill 1 Electric oven/grill 1 Fixed rate dual circuit electric grill 1 Variable rate electric grill 1 Variable rate dual circuit electric grill 1 Variable rate dual circuit electric grill 1 Variable rate dual circuit electric grill 1 Variable rate electric oven Yes Defrost 1 Intensive bake (top, bottom & fan) 1 Top heat only 1 Base heat only 1				
Function Tall Fanned Oven Fuel Electric No. of functions 4 Programmable oven 4 Sas oven/spill 4 Variable rate gas grill 4 Conventional gas oven 4 Automatic ignition 4 Fixed rate gas grill 4 Conventional gas oven 4 Automatic ignition 4 Fixed rate gas grill 4 Variable rate gas grill 4 Variable rate electric grill 5 Fixed rate electric grill 4 Variable rate electric grill 4 Variable rate electric grill 4 Variable rate electric grill 4 Conventional electric oven 4 France electric oven 4 Person 4 Person 4 Intensive bake (top, bottom & fan) 4 Top heat only 4 Base heat with fan 5 Gill with fan 4 Uight only 4 Sitow cook Yes Pizza function Yes Read proving Yes Presetting 4 Presetting 4 Presett oven setting <	Cav	ity 3	2 3 2 4	Richt
Fuel Electric No. of functions 4 Programmable oven 4 Gas oven/yrill 4 Variable rate gas grill 5 Variable rate gas grill 5 Conventional gas oven 6 Automatic ignition 6 Fixed rate aga soven 6 Automatic ignition 6 Fixed rate aga oven 6 Electric oven/grill 6 Variable rate electric grill 6 Variable rate electric grill 7 Variable rate electric grill 7 Variable rate dual circuit electric grill 7 Intensive bake (top, bottom & fan) 7 Top heat only 8 Base heat only 8 Base heat only 7 Slow cook Yes Pizza function Yes Read proving Yes Pizza function Yes	Cav	ity 3	2 3 2 4 Position	
No. of functions 4 Programmable oven 4 Gas oven/grill 4 Variable rate gas grill 4 Quartable rate gas grill 4 Conventional gas oven 4 Automatic ignition 4 Fixed rate steet ignith 6 Fixed rate electric grill 6 Variable rate electric grill 6 Variable rate electric grill 7 Top heat only 8 Base heat with fan 7 Grill with fan 7 Slow cook Yes Pizza function 7	Cav	ity 3	2 3 2 4 Position	Second
Programmable oven Programmable oven Gas oven/grill Image: Second Secon	Cav	ity 3	2 3 2 4 Position Main/second/third/fourth oven Function	Second Tall Fanned Oven
Gas oven/grill Fixed rate gas grill Fixed rate gas grill Image: Second Seco	Cav	ity 3	2 3 2 4 Position Main/second/third/fourth oven Function Fuel	Second Tall Fanned Oven Electric
Fixed rate gas grill Variable rate gas grill Conventional gas oven Automatic ignition Flame safety device Electric oven /grill Fixed rate dual circuit electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Presenter dual circuit electric grill Conventional electric oven Panned electric oven Top heat only Base heat only Slow cook Yes Picza function Keep warm/plate warm function Yes Picza function Yes Presetting A Meat probe A Rapid heat A Pyrolytic function Presetting Preset own setting A Energy rating A Cavity features A Light heat 87 Pyrolytic function 94	Cav	ity 3	2 3 2 4 Position Main/second/third/fourth oven Function Fuel No. of functions	Second Tall Fanned Oven Electric
Variable rate gas grill			2 3 2 4 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven	Second Tall Fanned Oven Electric
Conventional gas oven Automatic ignition Rame safety device Image safety device Electric oven/grill Image safety device Fixed rate electric grill Image safety device Variable rate electric grill Image safety device Variable rate dual circuit electric grill Image safety device Conventional electric oven Yes Energy consumption (kwh) Yes Intensive bake (top, bottom & fan) Yes Top heat only Image safety device Base heat only Image safety device Base heat only Yes Base heat with fan Yes Grill with fan Yes Upforton Yes Pizza function Yes Pizza function Yes Pizza function Yes Read proving Yes Piesetting Yes Piesetting A Actual capacity (litres) A Cavity features A Cavity features A Energy rating A Prostifiens (HwXD mm) 620 x 350 x 395 Power (kW) 2.5 Power (kW) 2.5			2 3 2 4 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven ren/ grill	Second Tall Fanned Oven Electric
Automatic ignition Flame safety device Fleetric oven/grill Fixed rate electric grill Variable rate electric grill Interstive factoric grill Variable rate electric grill Yes Conventional electric oven Yes Defrost Yes Intensive bake (top, bottom & fan) Yes Base heat only Base heat only Base heat only Yes Base heat with fan Yes Gill with fan Yes Light only Yes Slow cook Yes Preact function Yes Read proving Yes Pie setting Yes Pre-set oven setting Actual capacity (litres) Actual capacity (litres) 94 Usable capacity (litres) 87 Usable Cavity (litres) 87			2 3 2 4 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven <i>pen/grill</i> Fixed rate gas grill	Second Tall Fanned Oven Electric
Flame safety device Electric oven/grill Fixed rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Franed electric oven Persot Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Circli with fan Light only Slow cook Pizza function Keep warm/plate warm function Pizza function Rapid heat Providic function Pre-set oven setting Energy rating Actual capacity (litres) Actual capacity (litres) Actual capacity (litres) Power (kW) No of shelves No of shelf positions			2 3 2 4 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven ren/grill Fixed rate gas grill Variable rate gas grill	Second Tall Fanned Oven Electric
Electric oven/grili Fixed rate electric grili Variable rate electric grili Variable rate dual circuit electric grili Conventional electric oven Conventional electric oven Panned electric oven Panned electric oven Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Yes Pizza function Keep warm/plate warm function Yes Pizza function Reapt proving Yes Piza function Keep warm/plate warm function Yes Piza function Rapid heat Pyrolytic function Pre-set oven setting Energy rating Actual capacity (litres) Stable capacity (litres) Vasible capacity (litres) Power (kW) Cavity features Energy consumption (kwh) 0.94 (Forced Air) No of shelves 2 No of shelves 2			2 3 2 4 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven ren/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven	Second Tall Fanned Oven Electric
Fixed rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Persot Defrost Intensive bake (top, bottom & fan) Base heat only Base heat only Base heat with fan Grill with fan Grill with fan Light only Slow cook Yes Pizza function Keep warn/plate warm function West probe Rapid heat Pre-set oven setting Pre-set oven setting Actual capacity (litres) Actual capacity (litres) Vasible capacity (litres) Vasible capacity (litres) Power (kW) Out of shelves No of shelf positions			2 3 2 4 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven Programmable rate gas grill Variable rate gas grill Conventional gas oven Automatic ignition	Second Tall Fanned Oven Electric
Fixed rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Persot Defrost Intensive bake (top, bottom & fan) Base heat only Base heat only Base heat with fan Grill with fan Grill with fan Light only Slow cook Yes Pizza function Keep warn/plate warm function West probe Rapid heat Pre-set oven setting Pre-set oven setting Actual capacity (litres) Actual capacity (litres) Vasible capacity (litres) Vasible capacity (litres) Power (kW) Out of shelves No of shelf positions		Gas or	2 3 2 4 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven ren/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven Automatic ignition Fiame safety device	Second Tall Fanned Oven Electric
Fixed rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Slow cook Yes Pizza function Keep warm/plate warm function Yes Pie setting Meat probe Aneat Rapid heat Provytic function Pre-set oven setting Energy rating A Actual capacity (litres) 87 Usable capacity (litres) 87 Usable capacity (litres) 87 Usable capacity (litres) 0.94 (Forced Air) No of shelves 2 No of shelf positions 8		Gas or	2 3 2 4 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven ren/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven Automatic ignition Fiame safety device	Second Tall Fanned Oven Electric
Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Pefnost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Keep warm/plate warm function Pizza function Read proving Pie setting Preset oven setting Preset oven setting Preset oven setting Preset oven setting Actual capacity (litres) Usable capacity (litres) Usable capacity (litres) Variable capacity (litres) No of shelves No of shelves No of shelf positions		Gas or	2 3 2 4 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven ren/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven Automatic ignition Filame safety device ic oven/grill	Second Tall Fanned Oven Electric
Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Pefrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Cifli with fan Light only Slow cook Yes Pizza function Keep warm/plate warm function Yes Pie setting Yes Meat probe Rapid heat Pre-set oven setting A Cavity features 94 Usable cavity dimensions (HxWxD mm) 620 x 350 x 395 Power (kW) 2.5 No of shelves 2 No of shelf positions 8		Gas or	2 3 2 4 Position Function Function Fuel No. of functions Programmable oven Programmable oven Programmable are gas grill Conventional gas grill Conventional gas oven Automatic ignition Flame safety device ic oven/grill Fixed rate electric grill Fixed ra	Second Tall Fanned Oven Electric
Conventional electric ovenYesFanned electric ovenYesDefrostYesIntensive bake (top, bottom & fan)YesBase heat onlySea heat onlyBase heat with fanYesGrill with fanYesLight onlyYesSlow cookYesPizza functionYesBread provingYesPizza functionYesPizza functionYesPresettingYesPresettingYesPreset oven settingACavity featuresAActual capacity (litres)94Usable Cavity dimensions (HxWxD mm)620 x 350 x 395Power (kW)2.5No of shelves2No of shelves2No of shelf positions8		Gas or	2 3 2 4 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven Programmable oven Programmable rate gas grill Variable rate gas grill Conventional gas oven Automatic ignition Flame safety device ic oven/grill Fixed rate electric grill Fixed rate dual circuit electric grill Fixed rate dual circuit electric grill	Second Tall Fanned Oven Electric
Fanned electric ovenYesDefrostIntensive bake (top, bottom & fan)Top heat onlyBase heat onlyBase heat onlyIntensive bake (top, bottom & fan)Base heat onlyBase heat onlyBase heat with fanIntensive bake (top, bottom & fan)Grill with fanYesJohn onlyYesSlow cookYesPizza functionYesBread provingYesBread provingYesPie settingYesMeat probeIntensionPre-set oven settingIntensionPre-set oven settingAEnergy ratingACavity features94Usable capacity (litres)94Usable capacity (litres)87Usable Cavity dimensions (HxWxD mm)620 x 350 x 395Power (kW)2.5Energy consumption (Kwh)0.94 (Forced Air)No of shelves2No of shelves2No of shelf positions8		Gas or	2 3 2 4 Position Position Function Fuel No. of functions Programmable oven en/grill Fixed rate gas grill Variable rate gas oven Automatic ignition Flame safety device ic oven/grill Fixed rate dual circuit electric grill Variable rate dual circuit electric grill Variable rate electric grill	Second Tall Fanned Oven Electric
DefrostIntensive bake (top, bottom & fan)Top heat onlyBase heat onlyBase heat with fanGrill with fanLight onlySlow cookPizza functionKeep warm/plate warm functionYeesPie settingMeat probeRapid heatPre-set oven settingEnergy ratingActual capacity (litres)Usable capacity (litres)Usable Cavity dimensions (HxWxD mm)620 x 350 x 395Power (kW)No of shelvesNo of shelvesNo of shelf positions		Gas or	2 3 2 4 Position Function Function Function Function Function Function Function Functions Frogrammable oven ren/grill Fixed rate gas grill Conventional gas oven Automatic ignition Flame safety device ic oven/grill Fixed rate electric grill Fixed rate dual circuit electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Fixed rate function Fixed rate func	Second Tall Fanned Oven Electric
Intensive bake (top, bottom & fan)Top heat onlyBase heat onlyBase heat with fanGrill with fanLight onlySlow cookPizza functionKeep warm/plate warm functionPize af provingYesPize af provingYesPize settingMeat probeRapid heatPre-set oven settingPre-set oven settingActual capacity (litres)Actual capacity (litres)Usable cavity dimensions (HxWxD mm)620 x 350 x 395Power (kW)No of shelvesNo of shelvesNo of shelf positionsA set of the positions		Gas or	2 3 2 4 Position Function Function Function Fuel No. of functions Programmable oven Programmable oven Programmable as grill Conventional gas oven Automatic ignition Flame safety device ic oven/grill Fixed rate electric grill Fixed rate electric grill Fixed rate electric grill Conventional erate electric grill Variable rate electric grill Variable rate electric grill Conventional erate electric grill Conventional electric oven	Second Tall Fanned Oven Electric 4
Top heat only Base heat only Base heat with fan		Gas or	2 3 2 Position	Second Tall Fanned Oven Electric 4
Base heat only Base heat with fan Grill with fan		Gas or	2 3 2 Position Main/second/third/fourth oven Function Function Fuel No. of functions Programmable oven ren/grill Fixed rate gas grill Conventional gas oven Automatic ignition Flame safety device ic oven/grill Fixed rate dual circuit electric grill Variable rate dual circuit electric grill Deriost Defrost	Second Tall Fanned Oven Electric 4
Base heat with fan Grill with fan Light only Slow cook Yes Pizza function Yes Reep warm/plate warm function Yes Bread proving Yes Pie setting Yes Meat probe Rapid heat Pre-set oven setting A Energy rating A Vable capacity (litres) 94 Usable capacity (litres) 87 Usable Cavity dimensions (HxWxD mm) 620 x 350 x 395 Power (kW) 2.5 Energy consumption (Kwh) 0.94 (Forced Air) No of shelves 2 No of shelf positions 8		Gas or	2 3 2 4 Position Function Figure are gas grill Conventional gas oven Automatic ignition Flame safety device ic oven/grill Fixed rate electric grill Fixed rate electric grill Fixed rate dual circuit electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Fanne Safety device Function Fanne Safety device Function Fanned electric oven Fanned electric function	Second Tall Fanned Oven Electric 4
Grill with fan Light only Light only Slow cook Yes Pizza function Yes Bread proving Yes Bread proving Yes Pizza function Yes Bread proving Yes Pies setting Yes Pies setting Yes Rapid heat Pre-set oven setting Energy rating A Cavity features 94 Usable capacity (litres) 87 Usable Cavity dimensions (HxWxD mm) 620 x 350 x 395 Power (kW) 2.5 Energy consumption (Kwh) 0.94 (Forced Air) No of shelves 2 No of shelf positions 8		Gas or	2 3 2 Position	Second Tall Fanned Oven Electric 4
Light only Yes Slow cook Yes Pizza function Yes Bread proving Yes Die setting Yes Rapid heat Yes Prose twing A Zavity features A Actual capacity (litres) 94 Usable cavity dimensions (HxWxD mm) 620 x 350 x 395 Power (kW) 2.5 Energy consumption (Kwh) 0.94 (Forced Air) No of shelves 2 No of shelf positions 8		Gas or	2 3 2 Position	Second Tall Fanned Oven Electric 4
Slow cook Yes Pizza function Keep warm/plate warm function Yes Bread proving Yes Pie setting Yes Meat probe Pyrolytic function Pre-set oven setting Energy rating A Cavity features 94 Usable capacity (litres) 94 Usable Cavity dimensions (HxWxD mm) 620 x 350 x 395 Power (kW) 2.5 Energy consumption (Kwh) 0.94 (Forced Air) No of shelves 2 No of shelf positions 8		Gas or	2 3 2 Position Main/second/third/fourth oven Function Function Fuel No. of functions Programmable oven ren/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven Automatic ignition Flame safety device ic oven/grill Fixed rate deal circuit electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan	Second Tall Fanned Oven Electric 4
Pizza function Yes Keep warm/plate warm function Yes Bread proving Yes Pie setting Yes Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating A Cavity features 94 Usable capacity (litres) 94 Usable Cavity dimensions (HxWxD mm) 620 x 350 x 395 Power (kW) 2.5 Energy consumption (Kwh) 0.94 (Forced Air) No of shelves 2 No of shelf positions 8		Gas or	2 3 2 Position	Second Tall Fanned Oven Electric 4
Keep warm/plate warm function Yes Bread proving Yes Pie setting Yes Meat probe Piroseting Pyrolytic function Pre-set oven setting Pre-set oven setting A Energy rating A Cavity features 94 Usable capacity (litres) 94 Usable capacity (litres) 87 Usable Cavity dimensions (HxWxD mm) 620 x 350 x 395 Power (kW) 2.5 Energy consumption (Kwh) 0.94 (Forced Air) No of shelves 2 No of shelf positions 8		Gas or	2 3 2 Position	Second Tall Fanned Oven Electric 4
Bread proving Yes Pie setting		Gas or	2 3 2 Position	Second Tall Fanned Oven Electric 4
Pie setting Meat probe Rapid heat Pyrolytic function Pyrolytic function Pre-set oven setting Energy rating A Cavity features 94 Usable capacity (litres) 94 Usable Cavity dimensions (HxWxD mm) 620 x 350 x 395 Power (kW) 2.5 Energy consumption (Kwh) 0.94 (Forced Air) No of shelves 2 No of shelf positions 8		Gas or	2 3 2 Position	Second Tall Fanned Oven Electric 4
Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating A Cavity features Value Value Usable capacity (litres) Usable Cavity dimensions (HxWxD mm) 620 x 350 x 395 Power (kW) 2.5 Energy consumption (Kwh) No of shelves No of shelf positions		Gas or	2 3 2 Position	Second Tall Fanned Oven Electric 4
Meat probe Rapid heat Pyrolytic function Pre-set oven setting Energy rating A Cavity features Value Value Usable capacity (litres) Usable Cavity dimensions (HxWxD mm) 620 x 350 x 395 Power (kW) 2.5 Energy consumption (Kwh) No of shelves No of shelf positions		Gas or	2 3 2 Position	Second Tall Fanned Oven Electric 4
Rapid heat Rapid heat ProJytic function Preset oven setting Pre-set oven setting A Energy rating A Cavity features 94 Usable capacity (litres) 94 Usable Cavity dimensions (HxWxD mm) 620 x 350 x 395 Power (kW) 2.5 Energy consumption (Kwh) 0.94 (Forced Air) No of shelves 2 No of shelf positions 8		Gas or	2 3 2 Position	Second Tall Fanned Oven Electric 4
Pyrolytic function Pre-set oven setting Energy rating A Cavity features Actual capacity (litres) Usable capacity (litres) Usable cavity dimensions (HxWxD mm) 620 x 350 x 395 Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions		Gas or	2 3 2 Position	Second Tall Fanned Oven Electric 4
Pre-set oven setting Energy rating Cavity features Actual capacity (litres) Usable capacity (litres) Usable Cavity dimensions (HxWxD mm) 620 x 350 x 395 Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions		Gas or	2 3 2 Position	Second Tall Fanned Oven Electric 4
Energy rating A Cavity features 94 Actual capacity (litres) 94 Usable capacity (litres) 87 Usable Cavity dimensions (HxWxD mm) 620 x 350 x 395 Power (kW) 2.5 Energy consumption (Kwh) 0.94 (Forced Air) No of shelves 2 No of shelf positions 8		Gas or	2 3 2 Position	Second Tall Fanned Oven Electric 4
Cavity features Actual capacity (litres) 94 Usable capacity (litres) 87 Usable Cavity dimensions (HxWxD mm) 620 x 350 x 395 Power (kW) 2.5 Energy consumption (Kwh) 0.94 (Forced Air) No of shelves 2 No of shelf positions 8		Gas or	2 3 2 Position	Second Tall Fanned Oven Electric 4
Actual capacity (litres) 94 Usable capacity (litres) 87 Usable Cavity dimensions (HxWxD mm) 620 x 350 x 395 Power (kW) 2.5 Energy consumption (Kwh) 0.94 (Forced Air) No of shelves 2 No of shelf positions 8		Gas or	2 3 2 Position	Second Tall Fanned Oven Electric 4
Usable capacity (litres) 87 Usable Cavity dimensions (HxWxD mm) 620 x 350 x 395 Power (kW) 2.5 Energy consumption (Kwh) 0.94 (Forced Air) No of shelves 2 No of shelf positions 8		Electr	2 3 2 Position	Second Tall Fanned Oven Electric 4
Usable Cavity dimensions (HxWxD mm) 620 x 350 x 395 Power (kW) 2.5 Energy consumption (Kwh) 0.94 (Forced Air) No of shelves 2 No of shelf positions 8		Electr	2 3 2 Position	Second Tall Fanned Oven Electric 4
Power (kW) 2.5 Energy consumption (Kwh) 0.94 (Forced Air) No of shelves 2 No of shelf positions 8		Electr	2 3 2 Position	Second Tall Fanned Oven Electric 4
Energy consumption (Kwh) 0.94 (Forced Air) No of shelves 2 No of shelf positions 8		Electr	2 3 2 Position	Second Tall Fanned Oven Electric 4
No of shelves 2 No of shelf positions 8		Electr	2 3 2 Position	Second Tall Fanned Oven Electric 4
No of shelves 2 No of shelf positions 8		Electr	2 3 2 Position	Second Tall Fanned Oven Electric 4
No of shelf positions 8		Electr	2 3 2 4 Position Main/second/third/fourth oven Function Function Function Function Fuel No. of functions Programmable oven Programmable oven Programmable oven Programmable oven Variable rate gas grill Variable rate gas grill Variable rate gas grill Conventional gas oven Automatic ignition Flame safety device Ca oven/grill Fixed rate dual circuit electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate electric orgrill Conventional electric oven Fanned electric oven Defrost Defrost Defrost Defrost Ustop bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Slow cook Pizza function Preset oven setting Preset oven setting Meat probe Rapid heat Prynolytic function Pre-set oven setting Actual capacity (litres) Usable capacity (litres) Usable capacity (litres) Usable capacity (litres) Usable Cavity dimensions (HxWxD mm) Power (kW) Prover (kW)	Second Tall Fanned Oven Electric 4
No of shelf positions 8		Electr	2 3 2 4 Position Main/second/third/fourth oven Function Function Function Function Fuel No. of functions Programmable oven Programmable oven Programmable oven Programmable oven Variable rate gas grill Variable rate gas grill Variable rate gas grill Conventional gas oven Automatic ignition Flame safety device Ca oven/grill Fixed rate dual circuit electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate electric orgrill Conventional electric oven Fanned electric oven Defrost Defrost Defrost Defrost Ustop bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Slow cook Pizza function Preset oven setting Preset oven setting Meat probe Rapid heat Prynolytic function Pre-set oven setting Actual capacity (litres) Usable capacity (litres) Usable capacity (litres) Usable capacity (litres) Usable Cavity dimensions (HxWxD mm) Power (kW) Prover (kW)	Second Tall Fanned Oven Electric 4
No of shelf positions 8		Electr	2 3 2 4 Position Main/second/third/fourth oven Function Function Function Function Fuel No. of functions Programmable oven Programmable oven Programmable oven Programmable oven Variable rate gas grill Variable rate gas grill Variable rate gas grill Conventional gas oven Automatic ignition Flame safety device Ca oven/grill Fixed rate dual circuit electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate electric orgrill Conventional electric oven Fanned electric oven Defrost Defrost Defrost Defrost Ustop bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Slow cook Pizza function Preset oven setting Preset oven setting Meat probe Rapid heat Prynolytic function Pre-set oven setting Actual capacity (litres) Usable capacity (litres) Usable capacity (litres) Usable capacity (litres) Usable Cavity dimensions (HxWxD mm) Power (kW) Prover (kW)	Second Tall Fanned Oven Electric 4
		Electr	2 3 2 Position	Second Tall Fanned Oven Electric 4
Telescopic shelves - Fixed		Electr	2 3 2 Position	Second Tall Fanned Oven Electric 4 4 9 Yes Yes Yes Yes Yes Yes 600 X 250 X 395 2.5 0.94 (Forced Air) 2

	Telescopic chalves Removable/adjustable	
	Telescopic shelves - Removable/adjustable No of telescopic fixing positions	8
	Usable area of shelves (WxD mm)	339mm x 357mm
	Oven light / Type	Yes, halogen
Door	Interior finish / colour	Easy clean enamel / Black
DOOI	Door type	Glass
	Door opening	Side opening
	Hinge type	
	Arrest position	Vec
	Viewing window Door glazing number(inc. outer if applicable)	<u>Yes</u>
	Door colour	Mirrored
	Handle style / Colour	Metal, satin nickel brush effect
	Door outer glass	Yes, Stopsil (mirrored) x 1
	Inner glass	Yes x 1
	Cladding type Cladding style / Colour	C shape Description colour
	Door features	Description colodi
	Screened branding	
	Badge brand	
avity 4	Position	
	Main/second/third/fourth oven	
	Function	
	Fuel	
	No. of functions	
	Programmable oven ven/grill	
	Fixed rate gas grill	
	Variable rate gas grill	
	Conventional gas oven	
	Automatic ignition	
	Flame safety device ic oven/grill	
Electr	Fixed rate electric grill	
_	Fixed rate dual circuit electric grill	
	Variable rate electric grill	
	Variable rate dual circuit electric grill	
	Conventional electric oven	
	Fanned electric oven Defrost	
	Intensive bake (top, bottom & fan)	
	Top heat only	
	Base heat only	
	Base heat with fan	
	Grill with fan	
	Light only Slow cook	
	Pizza function	
	Keep warm/plate warm function	
	Bread proving	
	Pie setting	
	Meat probe	
	Rapid heat	
	Pyrolytic function Pre-set oven setting	
	Energy rating	
Cavity	features	
	Actual capacity (litres)	
	Usable capacity (litres)	
	Cavity dimensions (HxWxD mm) Power (kW)	
	Cavity dimensions (HxWxD mm) Power (kW) Energy consumption (Kwh)	
	Power (kW) Energy consumption (Kwh) No of shelves	
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions	
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves - Fixed	
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable	
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm)	
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type	
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm)	
Door	Power (kW) Energy consumption (Kwh) No of shelf positions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WXD mm) Oven light / Type Interior finish / colour	
Door	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door type	
Door	Power (kW) Energy consumption (Kwh) No of shelf positions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WXD mm) Oven light / Type Interior finish / colour	
Door	Power (kW) Energy consumption (kwh) No of shelves No of shelf positions Telescopic shelves - Fixed Telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door type Door type Hinge type Arrest position	Image: Section of the section of t
Door	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves - Fixed Telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door type Door opening Hinge type Arrest position Viewing window	
Door	Power (kW) Energy consumption (Kwh) No of shelves No of shelp ositions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door type Door opening Hinge type Arrest position Viewing window Door laing number(inc. outer if applicable)	
Door	Power (kW) Energy consumption (Kwh) No of shelves No of shelp positions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door type Door opening Hinge type Arrest position Viewing window Door clazing number(inc. outer if applicable) Door colour	
Door	Power (kW) Energy consumption (Kwh) No of shelves No of shelp ositions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door type Door opening Hinge type Arrest position Viewing window Door laing number(inc. outer if applicable)	
Door	Power (kW) Energy consumption (Kwh) No of shelves No of shelp ositions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door type Door opening Hinge type Arrest position Viewing window Door colour Handle style / Colour Door outer glass	Image:
Door	Power (kW) Energy consumption (Kwh) No of shelves No of shelves of shelves Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door type Door opening Hinge type Arrest position Viewing window Door colour Handle style / Colour Door outer glass Inner glass Cladding type	
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door type Door opening Hinge type Arrest position Viewing window Door colour Handle style / Colour Door outer glass Inner glass Cladding type Cladding tyle / Colour	
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door type Door opening Hinge type Arrest position Viewing window Door glazing number(inc. outer if applicable) Door colour Handle style / Colour Door ur glass Intering type Cladding type Cladding type / Colour Door ter glass Inter glass Cladding type / Colour Door ter glass Inter glass Cladding type / Colour	
Door	Power (kW) Energy consumption (Kwh) No of shelves No of shelp ositions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door type Door opening Hinge type Arrest position Viewing window Door colour Handle style / Colour Door colour Handle style / Colour Door type Cladding type Cladding type Cladding tyle / Colour Door features Screened branding	
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door type Door opening Hinge type Arrest position Viewing window Door glazing number(inc. outer if applicable) Door colour Handle style / Colour Door ur glass Intering type Cladding type Cladding type / Colour Door ter glass Inter glass Cladding type / Colour Door ter glass	
ascia	Power (kW) Energy consumption (Kwh) No of shelves No of shelp ositions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door type Door opening Hinge type Arrest position Viewing window Door colour Handle style / Colour Door colour Handle style / Colour Door type Cladding type Cladding type Cladding tyle / Colour Door features Screened branding	
ascia	Power (kW) Energy consumption (Kwh) No of shelves No of shelves No of shelp cositions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door type Door opening Hinge type Arrest position Viewing window Door colour Handle style / Colour Door type Cladding type Cladding type Cladding type Cladding type Cladding type Screened branding Badge brand features Number of knobs	Image: Sector
ascia	Power (kW) Energy consumption (Kwh) No of shelves No of shelves (Wx0 Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (Wx0 mm) Oven light / Type Interior finish / colour Door type Door opening Hinge type Arrest position Viewing window Door colour Handle style / Colour Door outer glass Inner glass Cladding type Cladding type Cladding type Screened branding Badge brand features Number of knobs Style of knob - colour & type	Plastic body, with nickel effect brushed platin
ascia	Power (kW) Energy consumption (Kwh) No of shelves No of shelves of shelves - Fixed Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door opening Hinge type Arrest position Viewing window Door colour Handle style / Colour Door outer glass Inner glass Cladding type Cladding tyte / Colour Door features Screened branding Badge brand Features Number of knobs Style of knob Style of knob Style of knob	Plastic body, with nickel effect brushed platin Nickel effect brushed plating, plastic
ascia	Power (kW) Energy consumption (Kwh) No of shelves No of shelves No of shelp ositions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door type Door opening Hinge type Arrest position Viewing window Door glazing number(inc. outer if applicable) Door colour Handle style / Colour Door elass Inner glass Cladding type Cladding type Cladding type Screened branding Badge brand Ifeatures Number of knobs Style of knob - colour & type Bezel - colour & type Dour we type Oven/Grill markings location (knob, bezel, facia)	Plastic body, with nickel effect brushed platin Nickel effect brushed plating, plastic Black print, on bezel
ascia	Power (kW) Energy consumption (kwh) No of shelves No of shelves on the set of the set o	Plastic body, with nickel effect brushed platin Nickel effect brushed plating, plastic Black print, on bezel Metal one piece pressing
ascia	Power (kW) Energy consumption (Kwh) No of shelves No of shelves No of shelp ositions Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door type Door opening Hinge type Arrest position Viewing window Door glazing number(inc. outer if applicable) Door colour Handle style / Colour Door elass Inner glass Cladding type Cladding type Cladding type Screened branding Badge brand Ifeatures Number of knobs Style of knob - colour & type Bezel - colour & type Dour we type Oven/Grill markings location (knob, bezel, facia)	Plastic body, with nickel effect brushed platin Nickel effect brushed plating, plastic Black print, on bezel
ascia	Power (kW) Energy consumption (Kwh) No of shelves No of shelves on the system No of shelp ositions Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door type Door opening Hinge type Arrest position Viewing window Door glazing number(inc. outer if applicable) Door colour Handle style / Colour Door eligass Inner glass Cladding type Cladding type Cladding type Screened branding Bezel - colour & type Number of knobs Style of knob - colour & type Doven/Grill markings location (knob, bezel, facia) Fascia colour Cladding type	Plastic body, with nickel effect brushed platin Nickel effect brushed plating, plastic Black print, on bezel Metal one piece pressing Description colour
ascia	Power (kW) Energy consumption (Kwh) No of shelves No of shelves of shelves - Fixed Telescopic shelves - Removable/adjustable No of telescopic fixing positions Usable area of shelves (WxD mm) Oven light / Type Interior finish / colour Door opening Hinge type Arrest position Viewing window Door outer glass Inner glass Cladding type Cladding type Cladding type Screened branding Bage brand Features Number of knobs Style of knob Colour Power (Ring) Style of knob Style of knob Colour & type Bezel - colour & type Catding type Cladding type Cladding type	Plastic body, with nickel effect brushed platin Nickel effect brushed plating, plastic Black print, on bezel Metal one piece pressing

An LE LE LE To LE Sp Features Features Features Re Re Re Re Re Re Re Re Re Re Re Re Re	echanical timer (pinger) analogue clock/programmer D clock/programmer - cavity, size and colour C clock/programmer D clal aesthetic appearance (eg Sterling) /// /// /// /// /// /// /// /// ///	Cavity 2, large, white Cavity 2, large, white Sterling nickel plated round bezel Yes Yes Yes Yes Yes Yes, 2 Yes, 2 Yes, 2 Yes, 2 Yes, 2
An LE LE LE To Co Co Edures Sp Features No Ro Ro Ro Ro Ro Ro Ro Ro Ro Ro Ro Ro Ro	nalogue clock/programmer D clock/programmer - cavity, size and colour D clock/programmer - cavity, size and colour D clock/programmer - covity, size and colour ouch control clock/programmer 'Cook To Off - cavity, size and colour ouch control clock/programmer 'Cook To Off - cavity, size and colour onnectivity / Bluetooth ectronic clock / programmer pecial aesthetic appearance (eg Sterling) ////////////////////////////////////	Sterling nickel plated round bezel Yes Yes Yes Yes Yes Yes Yes, 2 Yes, 2
	ED clock/minute minder - cavity, size and colour ED clock/programmer - cavity, size and colour ED clock/programmer - cavity, size and colour Duch control clock/programmer ' Cook To Off' - cavity, size and colour Duch control clock/programmer ' Cook To Off' - cavity, size and colour Duch control clock/programmer ' Cook To Off' - cavity, size and colour Duch control clock/programmer ' Cook To Off' - cavity, size and colour Duch control clock/programmer ' Cook To Off' - cavity, size and colour Duch control clock/programmer ' Cook To Off' - cavity, size and colour Duch control clock/programmer ' Cook To Off' - cavity, size and colour Duch control clock/programmer ' Cook To Off' - cavity, size and colour Duch control clock/programmer ' Cook To Off' - cavity, size and colour Duch control clock/programmer ' Cook To Off' - cavity, size and colour Duch control clock / programmer ' Cook To Off' - cavity, size and colour Duch control clock / programmer ' Cook To Off' - cavity, size and colour Duch control clock / programmer ' Cook To Off' - cavity, size and colour Provide clock / programmer ' Cook To Off' - cavity, size and colour Cook to the clock / programmer ' Cook To Off' - cavity, size and colour Duch control knobs Ear wheels (Include) Envolvable cast griddle plate fok cradle Ill width oven/grill pan - shallow Ill width oven/grill pan - shallow Ill width oven/grill pan - shallow Ill width oven/grill pan - reversible trivet ven/grill pan handle sat iron pot Till rack Irrntable To pot Till rack Irrntable Conversion kit (available separately) Parts (for cleaning)	Sterling nickel plated round bezel Yes Yes Yes Yes Yes Yes Yes, 2 Yes, 2
LE To To Co Ele Sp Features Wa Accessories Re Re Re Re Re Re Re Re Re Re Re Re Re	ED clock/programmer cook to off - cavity, size and colour ouch control clock/programmer - cavity, size and colour ouch control clock/programmer 'Cook To Off' - cavity, size and colour ouch control clock/programmer 'Cook To Off' - cavity, size and colour onnectivity / Bluetooth lectronic clock / programmer oecial aesthetic appearance (eg Sterling) (arming drawer/cavity tegrated splashback obtisserie ofFex oll-out grill djustable feet etractable control knobs ear wheels (included) emovable cast griddle plate fok cradle rillpan/trivet rillpan handle - metal oasting tin ull width oven/grill pan - shallow ull width oven/grill pan - reversible trivet ven/grill pan handle ast iron pot rill rack urntable rowning plate team & Infuse 'G Conversion kit (available separately) Parts (for cleaning)	Sterling nickel plated round bezel Yes Yes Yes Yes Yes Yes Yes, 2 Yes, 2
Accessories i Ac	buch control clock/programmer - cavity, size and colour buch control clock/programmer 'Cook To Off' - cavity, size and colour connectivity / Bluetooth lectronic clock / programmer becial aesthetic appearance (eg Sterling) /arming drawer/cavity tegrated splashback totisserie orFlex oll-out grill djustable feet etractable control knobs ear wheels (included) emovable cast griddle plate /ok cradle rillpan handle - metal oasting tin ull width oven/grill pan - shallow ull width oven/grill pan - shallow ull width oven/grill pan - reversible trivet ven/grill pan handle ast iron pot rill rack urmtable rowning plate team & Infuse 'G Conversion kit (available separately) Parts (for cleaning)	Yes Yes Yes Yes, 2 Yes, 2
	buch control clock/programmer 'Cook To Off' - cavity, size and colour connectivity / Bluetooth ectronic clock / programmer becial aesthetic appearance (eg Sterling) ////////////////////////////////////	Yes Yes Yes Yes, 2 Yes, 2
Features Features Features Features Features Features Features Features Features Features Features Features Features Features Features Features Features	onnectivity / Bluetooth lectronic clock / programmer pecial aesthetic appearance (eg Sterling) /arming drawer/cavity tegrated splashback otisserie oroFlex oli-out grill djustable feet terractable control knobs ear wheels (included) emovable cast griddle plate fok cradle rillpan/trivet rillpan handle - metal pasting tin ul width oven/grill pan - shallow ul width oven/grill pan - shallow ul width oven/grill pan - reversible trivet ven/grill pan handle ast iron pot rill rack urrtable cowning plate team & Infuse 'G Conversion kit (available separately) Parts (for cleaning)	Yes Yes Yes Yes, 2 Yes, 2
Features Features Features Keatures Keatur	Arming drawer/cavity (arming drawer/cavity (arming drawer/cavity tegrated splashback otisserie ofFex ofFex ofFex ofFex ofFex (included) (includ	Yes Yes Yes Yes, 2 Yes, 2
Features V Value Value	Arming drawer/cavity itegrated splashback otisserie orFlex oli-out grill djustable feet eteractable control knobs ear wheels (included) emovable cast griddle plate lok cradle illpan handle - metal oasting tin ull width oven/grill pan - shallow ull width oven/grill pan - shallow ull width oven/grill pan - reversible trivet ven/grill pan handle ast iron pot rill rack urntable rowning plate team & Infuse 2G Conversion kit (available separately) Parts (for cleaning)	Yes Yes Yes Yes, 2 Yes, 2
Accessories Re Re Re Re Accessories Re Gri Gri Gri Gri Gri Ca Gri Ca Gri LP Removable F Ho Ca Gri In Tu Bri Ca Gri Tu Bri Ca Gri Tu Bri Ca Gri Sta Ca Gri Tu Bri Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca	tegrated splashback otisserie oFlex ol-out grill djustable feet teractable control knobs ear wheels (included) emovable cast griddle plate ok cradle rillpan handle - metal oasting tin ul width oven/grill pan - shallow ul width oven/grill pan - deep ul width oven/grill pan - reversible trivet ven/grill pan handle ast iron pot rill rack urntable cowning plate team & Infuse C Conversion kit (available separately) Parts (for cleaning)	Yes Yes, 2 Yes, 2 Yes, 2
Accessories Re Accessories Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Con	tegrated splashback otisserie oFlex ol-out grill djustable feet teractable control knobs ear wheels (included) emovable cast griddle plate ok cradle rillpan handle - metal oasting tin ul width oven/grill pan - shallow ul width oven/grill pan - deep ul width oven/grill pan - reversible trivet ven/grill pan handle ast iron pot rill rack urntable cowning plate team & Infuse C Conversion kit (available separately) Parts (for cleaning)	Yes Yes, 2 Yes, 2 Yes, 2
Accessories and a constraint of the second s	otisserie ofFex ofFex ofFex oll-out grill djustable feet etractable control knobs ear wheels (included) emovable cast griddle plate /ok cradle rillpan/trivet rillpan handle - metal oasting tin ull width oven/grill pan - shallow ull width oven/grill pan - shallow ull width oven/grill pan - reversible trivet ven/grill pan handle ast iron pot rill rack urntable rowning plate ream & Infuse 'G Conversion kit (available separately) Parts (for cleaning)	Yes Yes, 2 Yes, 2 Yes, 2
Accessories Re Accessories Accessories Re Gri Gri Gri Ful Ov Ca Gri Ca Gri U Ho Ca Ste Ste Ste Ste Ste Ste Ste Ste Ste Ste	oll-out grill djustable feet etractable control knobs ear wheels (included) emovable cast griddle plate (ok cradle rillpan/trivet rillpan handle - metal oasting tin all width oven/grill pan - shallow all width oven/grill pan - shallow all width oven/grill pan - deep all width oven/grill pan - reversible trivet ven/grill pan handle sat iron pot rill rack urntable rowning plate team & Infuse G Conversion kit (available separately) Parts (for cleaning)	Yes Yes, 2 Yes, 2 Yes, 2
Ad Re Re Accessories (Accessories (Re Gri Ful Ful Ful Ful Ful Ful Ful Ful Ful Ful	djustable feet etractable control knobs ear wheels (included) emovable cast griddle plate lok cradle rillpan handle - metal pasting tin ull width oven/grill pan - shallow ull width oven/grill pan - deep ull width oven/grill pan - reversible trivet ven/grill pan handle sast iron pot rill rack urntable rowning plate etaam & Infuse C Conversion kit (available separately) Parts (for cleaning)	Yes Yes, 2 Yes, 2 Yes, 2
Re Accessories Re Wid Gri Gri Ro Fu Fu Fu Ov Ca Gri Tu Bri Bri Bri Bri Bri Bri Bri Bri	etractable control knobs ear wheels (included) emovable cast griddle plate lok cradle lilipan control knobs oasting tin all width oven/grill pan - shallow all width oven/grill pan - shallow all width oven/grill pan - shallow all width oven/grill pan - reversible trivet ven/grill pan handle ast iron pot rill rack urntable rowning plate eaem & Infuse CG Conversion kit (available separately) Parts (for cleaning)	Yes Yes, 2 Yes, 2 Yes, 2
Accessories s Re Accessories s Re Gri Gri Gri Fu Fu Fu Ca Gri Gri Ho Bra Sta Ho Pa Ho Sh Gri Te Sh Gri Tu Bra Sh Gri Tu Bra Sh Gri Tu Bra Sh Gri Tu Bra Sh Gri Tu Bra Sh Gri Tu Bra Sh Gri Tu Bra Sh Gri Tu Bra Sh Gri Tu Bra Sh Gri Tu Bra Sh Gri Tu Bra Sh Gri Tu Bra Sh Gri Tu Bra Sh Gri Tu Bra Sh Sh Gri Bra Sh Gri Tu Bra Sh Gri Sh Gri Sh Gri Sh Gri Sh Gri Sh Gri Sh Gri Ca Sh Gri Ca Sh Gri Sh Gri Ca Sh Gri Sh Gri Sh Gri Ca Sh Gri Ca Sh Gri Ca Sh Gri Sh Gri Sh Gri Sh Gri Sh Gri Sh Gri Sh Gri Sh Gri Sh Gri Sh Gri Sh Gri Sh Gri Sh Gri Sh Gri Sh Gri Sh Gri Sh Gri Sh Gri Sh Gri Sh Gri Sh Gri Sh Gri Sh Gri Sh Gri Sh Gri Sh Gri Sh Sh Gri Sh Sh Sh Sh Sh Sh Sh Sh Sh Sh	ear wheels (included) emovable cast griddle plate //ok cradle rillpan/trivet rillpan handle - metal oasting tin ull width oven/grill pan - shallow ull width oven/grill pan - deep ull width oven/grill pan - deep ull width oven/grill pan - reversible trivet ven/grill pan handle ast iron pot rill rack uurntable rowning plate team & Infuse G Conversion kit (available separately) Parts (for cleaning)	Yes, 2 Yes, 2
Re Wa Gri Fu Fu Fu Fu Ov Ca Gri Gri Ste Removable F Ho Pa Pa Inn Sh Te Sh Gri Gri Sh Gri Tu Brc	emovable cast griddle plate lok cradle rillpan/trivet rillpan handle - metal oasting tin Ill width oven/grill pan - shallow Ill width oven/grill pan - deep Ill width oven/grill pan - reversible trivet ven/grill pan handle sat iron pot rill rack urntable rowning plate exam & Infuse G Conversion kit (available separately) Parts (for cleaning)	Yes, 2
Renovable A Renovable A Renovable A Renovable A Removable A Removable A Removable A Removable A Removable A Removable A Removable A Removable A Removable A Renovable A Renov	lok cradle iilipan handle - metal aosting tin III width oven/grill pan - shallow III width oven/grill pan - deep III width oven/grill pan - reversible trivet ven/grill pan handle ast iron pot rill rack Urntable rowning plate team & Infuse C Conversion kit (available separately) Parts (for cleaning)	Yes, 2
Gri Gri Fu Fu Fu Ca Gri Gri U Removable F Ho Pa In Sh Te Sh Gri Tu Brc Sh Gri Tu Brc Sh Gri Brc Sh Gri Tu Brc Sh Gri Sh Brc Sh Brc Sh Brc Sh Brc Sh Brc Sh Brc Sh Brc Sh Brc Sh Brc Sh Brc Sh Brc Sh Brc Sh Brc Sh Brc Sh Brc Sh Brc Sh Brc Sh Brc Sh Brc Sh Brc Sh Brc Sh Brc Sh Brc Sh Sh Sh Sh Sh Sh Sh Sh Sh Sh Sh Sh Sh	rillpan/trivet rillpan/trivet rillpan/trivet rillpan/trivet rillpan/accord rillpan handle - metal obasting ven/grill pan - shallow ull width oven/grill pan - deep ull width oven/grill pan - deep ull width oven/grill pan - reversible trivet ven/grill pan handle ast iron pot rill rack urntable rowning plate ream & Infuse G Conversion kit (available separately) Parts (for cleaning)	Yes, 2
Gri Ro Fu Fu Ov Ca Gri Tu Brc Ca Ca Gri LP Removable F Ho Pa In Sh Te Te Sh Gri Gri Tu Brc	rillpan handle - metal oasting tin JII width oven/grill pan - shallow JII width oven/grill pan - deep JII width oven/grill pan - reversible trivet ven/grill pan handle ast iron pot rill rack urntable cowning plate team & Infuse G Conversion kit (available separately) Parts (for cleaning)	Yes, 2
Fu Fu Ov Ov Ca Gri Tu Brc Ste Ste LP Ho Pa In In Sh Te Sh Gri In Brc Sh Gri Tu Brc	Ill width oven/grill pan - shallow Ill width oven/grill pan - deep Ill width oven/grill pan - reversible trivet ven/grill pan handle ast iron pot rill rack Irrable rowning plate team & Infuse G Conversion kit (available separately) Parts (for cleaning)	Yes, 2
Fu Fu Ov Ca Gri Tu Bra LP Removable F Ho Pa Int Sh Gri Te Sh Gri Bra Bra	Jll width oven/grill pan - deep Jll width oven/grill pan - reversible trivet ven/grill pan handle ast iron pot rill rack urntable conving plate team & Infuse QC Conversion kit (available separately) Parts (for cleaning)	Yes, 2
Fu Ov Ca Gri Tu Brc Ste LP Removable F Ho Pa Pa In Sh Te Sh Gri Tu Brc	ull width oven/grill pan - reversible trivet ven/grill pan handle ast iron pot ill rack urntable rowning plate team & Infuse G Conversion kit (available separately) Parts (for cleaning)	Yes, 2
Ov Ga Gri Tu Brc Ste LP Cemovable F Ho Pa Pa Pa Inr Sh Te Sh Gri Gri Tu Brc	ven/grill pan handle ast iron pot till rack urntable rowning plate team & Infuse G Conversion kit (available separately) Parts (for cleaning)	
Gri Tu Bra LP Removable F Ho Pa In Sh Tre Sh Gri Tu Bra Bra	rill rack urntable rowning plate team & Infuse G Conversion kit (available separately) Parts (for cleaning)	
Tu Brown LP Removable F Pa Pa Pa Inn Sh Te Sh Gri Tu Brown Brown	urntable rowning plate zeam & Infuse 9G Conversion kit (available separately) Parts (for cleaning)	
Removable F LPN Removable F Pa Inn Sh Te Sh Gri Tu Bro	rowning plate team & Infuse PG Conversion kit (available separately) Parts (for cleaning)	
Removable F Ho Pa Inn Sh Te Sh Gri U U U U U U U U U U U U U U U U U U U	team & Infuse PG Conversion kit (available separately) Parts (for cleaning)	
Removable F Ho Pa Inr Sh Te Sh Gri Gri Brd	Parts (for cleaning)	
Ho Pa Inn Sh Te Te Sh Gri Tu Bro		
Pa Inr Sh Te Te Sh Gri Tu Bro		
Inn Sh Te Sh Gri Tu Bro	an supports	
Te Te Sh Gri Tu Bro	nner door glass	Yes
Te Sh Gri Tu Bro	helves	Yes
Sh Gri Tu Bro	elescopic shelves - Fixed elescopic shelves - Removable/adjustable	Vec
Gri Tu Bro	helf guides	Yes Yes
Bro	rill rack	3
	urntable	
Installation	rowning plate	
	as type	
	as inlet type	
	as inlet position	
	PG convertible	Vec
	ard wired	Yes
	erminal block position	Rear left
Ele	ectrical connection	Yes
	upply voltage	240V
	upply frequency nase (single or 3)	Single/3 Phase
	aximum rating	Single/5 mase
То	otal electrical power load (kW)	15.85kw
	otal gas power load (kW)	
	use size (A) tted 3 pin plug	32
Dimensions		
Packed		
	eight (mm)	1045
	/idth (mm)	1045
	epth (mm) /eight (kg)	
Product		
He	eight (mm)	900-930
	/idth (mm)	<u> </u>
	epth (mm) /eight (kg)	<u> </u>
inishes & co		
Colour 1		Black
	KU code	44444487
	AN code S400/Aurora model description	5052263044876 ST STER S900Ei BK
	xclusive	
Colour 2	2	Stainless Steel
	KU code	<u>44444488</u>
	AN code S400/Aurora model description	5052263044883 ST STER S900Ei SS
	kclusive	
Colour 3	3	
	KU code	
	AN code	
	S400/Aurora model description xclusive	
Colour 4	1	
SK	KU code	
EA	AN code	
	S400/Aurora model description xclusive	
<u>cc</u>	OMMENTS	