



Specification sheet								
<b>Brand and Model</b>								
Brand		<b>Stoves</b>						
Sub-brand		<b>Sterling</b>						
Model		<b>Sterling S1000Ei</b>						
<b>Summary</b>								
Product Type		100cm Induction Range Cooker						
Short product description		100cm Electric Induction Range Cooker With A 5 Zone Induction Hob, Conventional Oven & Grill, Multifunction Main Oven, Fanned Second Oven and Dedicated Slow Cook Oven						
<b>Key Product Benefits</b>								
Benefit 1		Quad Ovens™ With 179L Total Cooking Capacity						
Benefit 2		5 Zone Induction Hob With Touch Control						
Benefit 3		Multifunction Main Oven With Equiflow™ Technology and 11 Settings Including Pizza and Bread Proving						
Benefit 4		Maxi-Grill™ With Telescopic Sliders						
Benefit 5		Dedicated Slow Cook Oven						
Benefit 6		Pro-Trac™ Double-Extension Telescopic Sliders						
Benefit 7		Maxi Clock™ - LED Touch Control Programmer						
Benefit 8		Child Lock Safety Feature For Hob Controls						
Benefit 9		Full Width Grill Pan With Handle Included						
Benefit 10		A Rated Ovens						
Product Type		Range Cooker						
Integrated or freestanding		Freestanding						
Fuel		Electric						
Number of ovens		4						
Warranty period		5 Year Parts & 1 Year Labour						
International market								
<b>Hob layout</b>								
(diagram to be assigned)		<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>2</td> <td>3</td> <td>5</td> </tr> <tr> <td>1</td> <td></td> <td>4</td> </tr> </table>	2	3	5	1		4
2	3	5						
1		4						
<b>Cavity layout</b>								
(diagram to be assigned)		<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>1</td> <td>3</td> </tr> <tr> <td>2</td> <td>4</td> </tr> </table>	1	3	2	4		
1	3							
2	4							
<b>Hob</b>								
<b>Hob summary</b>		5 Induction Zones						
No of burners/elements		5						
Hotplate type		Framed Glass						
Controls position		Hotplate						
<b>Gas hob</b>								
Burner 1 (kW)								
Burner 2 (kW)								
Burner 3 (kW)								
Burner 4 (kW)								
Burner 5 (kW)								
Burner 6 (kW)								
Burner 7 (kW)								
Burner 8 (kW)								
Enamel pan supports								
Cast iron pan supports								
Enamel burner caps								
Matte burner caps								
Flat burner caps								
Profiled burner caps								
Enamel Clamp plates								
Matte clamp plates								
Push button ignition (battery)								
Push button ignition (mains)								
Automatic ignition								
Thermocouples (Flame safety device)								
Glass lid with auto shut off								
Lid / Type								
Lid Handle / Front Trim								
Lid auto shut off								
Lid soft close								
<b>Electric hob</b>								
Element 1 (kW)		Medium Induction 1.6 - 3.0						
Element 2 (kW)		Medium Induction 1.6 - 3.0						
Element 3 (kW)		Large Induction 2.3 - 3.7						
Element 4 (kW)		Small Induction 1.15 - 2.2						
Element 5 (kW)		Medium Induction 1.4 - 3.0						
Element 6 (kW)								
Element 7 (kW)								
Central on/off key		Yes						
Hot hob light								
Individual residual Heat Indicators		Yes						

	Control type (rotary or touch)	Touch (hotplate)
	Digital power display	Yes
	Power levels	10 (inc. boost)
	Keep warm function	Yes
	Pan detection	Yes
	Pan overheat detection	Yes
	Child lock	Yes
	Boost function	Yes
	Presets	3 (melt/sauce, keep warm, rapid simmer)
	Auto heat up	Yes
	Auto stand by	Yes
	Minute minder	Yes
	Timer Function	Yes
	Bridge Function / Griddle Zone	
	Easy clean ceramic glass surface	Yes
<b>Cavity 1</b>		
	Position	Top left
	Main/second/third/fourth oven	Third
	Function	Conventional oven and grill
	Fuel	Electric
	No. of functions	3
	Programmable oven	
	<b>Gas oven/grill</b>	
	Fixed rate gas grill	
	Variable rate gas grill	
	Conventional gas oven	
	Automatic ignition	
	Flame safety device	
	<b>Electric oven/grill</b>	
	Fixed rate electric grill	
	Fixed rate dual circuit electric grill	
	Variable rate electric grill	
	Variable rate dual circuit electric grill	Yes
	Conventional electric oven	Yes
	Fanned electric oven	
	Defrost	
	Intensive bake (top, bottom & fan)	
	Top heat only	Yes
	Base heat only	
	Base heat with fan	
	Grill with fan	
	Light only	
	Slow cook	
	Pizza function	
	Keep warm function	
	Bread proving	
	Pie setting	
	Meat probe	
	Rapid heat	
	Pyrolytic function	
	Pre-set oven setting	
	Energy rating	A
	<b>Cavity features</b>	
	Actual capacity (litres)	37
	Usable capacity (litres)	31
	Usable Cavity dimensions (HxWxD mm)	180 x 420 x 430
	Power (kW)	Oven (1.4) Grill (2.7)
	Energy consumption (Kwh)	0.67 (Conventional)
	No of shelves	0
	No of shelf positions	2
	Telescopic shelves - Fixed	0
	Telescopic shelves - Removable/adjustable	Double extending, removable
	No of telescopic fixing positions	2
	Usable area of shelves (WxD mm)	407mm x 357mm
	Oven light / Type	
	Interior finish / colour	Easy clean enamel / Black
	<b>Door</b>	
	Door type	Glass with matt black capping
	Door opening	Drop-down
	Hinge type	
	Arrest position	
	Viewing window	Yes
	Door glazing number(inc. outer if applicable)	2
	Door colour	Mirrored
	Handle style / Colour	Metal, satin nickel brush effect
	Door outer glass	Yes, Stopsil (mirrored) x 1
	Inner glass	Yes x 1 Removeable
	Cladding type	L shape
	Cladding style / Colour	Description colour
	Door features	
	Screened branding	
	Badge brand	Stoves
<b>Cavity 2</b>		
	Position	Bottom left
	Main/second/third/fourth oven	Main
	Function	Multifunction Oven
	Fuel	Electric
	No. of functions	13
	Programmable oven	Yes
	<b>Gas oven/grill</b>	
	Fixed rate gas grill	
	Variable rate gas grill	

	Conventional gas oven									
	Automatic ignition									
	Flame safety device									
	<b>Electric oven/grill</b>									
	Fixed rate electric grill									
	Fixed rate dual circuit electric grill									
	Variable rate electric grill	Yes								
	Variable rate dual circuit electric grill									
	Conventional electric oven	Yes								
	Fanned electric oven	Yes								
	Defrost	Yes								
	Intensive bake (top, bottom & fan)	Yes								
	Top heat only	Yes								
	Base heat only	Yes								
	Base heat with fan	Yes								
	Grill with fan	Yes								
	Light only									
	Slow cook	Yes								
	Pizza function	Yes								
	Keep warm function	Yes								
	Bread proving	Yes								
	Pie setting									
	Meat probe									
	Rapid heat									
	Pyrolytic function									
	Pre-set oven setting									
	Energy rating	A								
	<b>Cavity features</b>									
	Actual capacity (litres)	64								
	Usable capacity (litres)	54								
	Usable Cavity dimensions (HxWxD mm)	325 x 420 x 395								
	Power (kW)	Oven (2.0) Grill (1.7)								
	Energy consumption (Kwh)	0.73 (Forced Air) 0.77 (Conventional)								
	No of shelves	2								
	No of shelf positions	6								
	Telescopic shelves - Fixed									
	Telescopic shelves - Removable/adjustable	Double extending, removable								
	No of telescopic fixing positions	4								
	Usable area of shelves (WxD mm)	407mm x 357mm								
	Oven light / Type	Yes, halogen								
	Interior finish / colour	Easy clean enamel / Black								
	<b>Door</b>									
	Door type	Glass with matt black capping								
	Door opening	Side opening								
	Hinge type									
	Arrest position									
	Viewing window	Yes								
	Door glazing number(inc. outer if applicable)	2								
	Door colour	Mirrored								
	Handle style / Colour	Metal, satin nickel brush effect								
	Door outer glass	Yes, Stopsil (mirrored) x 1								
	Inner glass	Yes x 1 Removeable								
	Cladding type	L shape								
	Cladding style / Colour	Description colour								
	Door features									
	Screened branding									
	Badge brand									
<b>Cavity 3</b>	<table border="1"> <tr> <td>1</td> <td>3</td> <td>1</td> <td>3</td> </tr> <tr> <td>2</td> <td></td> <td>2</td> <td>4</td> </tr> </table>	1	3	1	3	2		2	4	
1	3	1	3							
2		2	4							
	Position	Top right								
	Main/second/third/fourth oven	Second								
	Function	Fanned Oven								
	Fuel	Electric								
	No. of functions	4								
	Programmable oven									
	<b>Gas oven/grill</b>									
	Fixed rate gas grill									
	Variable rate gas grill									
	Conventional gas oven									
	Automatic ignition									
	Flame safety device									
	<b>Electric oven/grill</b>									
	Fixed rate electric grill									
	Fixed rate dual circuit electric grill									
	Variable rate electric grill									
	Variable rate dual circuit electric grill									
	Conventional electric oven									
	Fanned electric oven	Yes								
	Defrost									
	Intensive bake (top, bottom & fan)									
	Top heat only									
	Base heat only									
	Base heat with fan									
	Grill with fan									
	Light only									
	Slow cook	Yes								
	Pizza function									
	Keep warm/plate warm function	Yes								
	Bread proving	Yes								
	Pie setting									
	Meat probe									
	Rapid heat									
	Pyrolytic function									
	Pre-set oven setting									
	Energy rating	A								
	<b>Cavity features</b>									
	Actual capacity (litres)	64								

	Usable capacity (litres)	57				
	Usable Cavity dimensions (HxWxD mm)	350 x 420 x 395				
	Power (kW)	2.0				
	Energy consumption (Kwh)	0.66 (Forced Air)				
	No of shelves	2				
	No of shelf positions	6				
	Telescopic shelves - Fixed					
	Telescopic shelves - Removable/adjustable	Double extending, removable				
	No of telescopic fixing positions	4				
	Usable area of shelves (WxD mm)	407mm x 357mm				
	Oven light / Type	Yes, halogen				
	Interior finish / colour	Easy clean enamel / Black				
<b>Door</b>						
	Door type	Glass				
	Door opening	Side opening				
	Hinge type					
	Arrest position					
	Viewing window	Yes				
	Door glazing number(inc. outer if applicable)	2				
	Door colour	Mirrored				
	Handle style / Colour	Metal, satin nickel brush effect				
	Door outer glass	Yes, Stopsil (mirrored) x 1				
	Inner glass	Yes x 1 Removeable				
	Cladding type	L shape				
	Cladding style / Colour	Description colour				
	Door features					
	Screened branding					
	Badge brand					
<b>Cavity 4</b>	<table border="1"> <tr> <td>1</td> <td>3</td> </tr> <tr> <td>2</td> <td>4</td> </tr> </table>	1	3	2	4	
1	3					
2	4					
	Position	Bottom right				
	Main/second/third/fourth oven	Fourth				
	Function	Slow cook				
	Fuel	Electric				
	No. of functions	1				
	Programmable oven					
<b>Gas oven/grill</b>						
	Fixed rate gas grill					
	Variable rate gas grill					
	Conventional gas oven					
	Automatic ignition					
	Flame safety device					
<b>Electric oven/grill</b>						
	Fixed rate electric grill					
	Fixed rate dual circuit electric grill					
	Variable rate electric grill					
	Variable rate dual circuit electric grill					
	Conventional electric oven					
	Fanned electric oven					
	Defrost					
	Intensive bake (top, bottom & fan)					
	Top heat only					
	Base heat only					
	Base heat with fan					
	Grill with fan					
	Light only					
	Slow cook	Yes				
	Pizza function					
	Keep warm/plate warm function					
	Bread proving					
	Pie setting					
	Meat probe					
	Rapid heat					
	Pyrolytic function					
	Pre-set oven setting					
	Energy rating					
<b>Cavity features</b>						
	Actual capacity (litres)	37				
	Usable capacity (litres)	37				
	Cavity dimensions (HxWxD mm)	200 x 420 x 430				
	Power (kW)	0.16				
	Energy consumption (Kwh)					
	No of shelves					
	No of shelf positions					
	Telescopic shelves - Fixed					
	Telescopic shelves - Removable/adjustable					
	No of telescopic fixing positions					
	Usable area of shelves (WxD mm)					
	Oven light / Type					
	Interior finish / colour	Easy clean enamel / Black				
<b>Door</b>						
	Door type	Metal				
	Door opening	Drop-down				
	Hinge type					
	Arrest position					
	Viewing window					
	Door glazing number(inc. outer if applicable)					
	Door colour	Description colour				
	Handle style / Colour	Metal, chrome				
	Door outer glass					
	Inner glass					
	Cladding type					
	Cladding style / Colour					
	Door features					
	Screened branding					
	Badge brand					

<b>Fascia</b>		
<b>Fascia features</b>		
	Number of knobs	6
	Style of knob - colour & type	Plastic body, with nickel effect brushed plating
	Bezel - colour & type	Nickel effect brushed plating, plastic
	Oven/Grill markings location (knob, bezel, fascia)	Black print, on bezel
	Fascia material	Metal one piece pressing
	Fascia colour	Description colour
	Cladding type	
	Cladding style/colour	
	Fascia cooling system	Yes
	Screened Branding or Model Name	Sterling
	Badge / Brand	
<b>Timer</b>		
	Mechanical timer (pinger)	
	Analogue clock/programmer	
	LED clock/minute minder - cavity, size and colour	
	LED clock/programmer - cavity, size and colour	Cavity 2, large, white
	LED clock/programmer cook to off - cavity, size and colour	
	Touch control clock/programmer - cavity, size and colour	
	Touch control clock/programmer 'Cook To Off' - cavity, size and colour	
	Connectivity / Bluetooth	
	Electronic clock / programmer	
	Special aesthetic appearance (eg Sterling)	Sterling nickel plated round bezel
<b>Features</b>		
	Warming drawer/cavity	
	Integrated splashback	
	Rotisserie	
	ProFlex	
	Roll-out grill	
	Adjustable feet	Yes
	Retractable control knobs	
	Rear wheels	Yes
<b>Accessories (included)</b>		
	Removable cast griddle plate	
	Wok cradle	
	Grillpan/trivet	
	Grillpan handle - metal	
	Roasting tin	
	Full width oven/grill pan - shallow	
	Full width oven/grill pan - deep	Yes, 2
	Full width oven/grill pan - reversible trivet	Yes, 2
	Oven/grill pan handle	Yes, 1
	Cast iron pot	
	Grill rack	
	Turntable	
	Browning plate	
	Steam & Infuse	
	LPG Conversion kit (available separately)	
<b>Removable Parts (for cleaning)</b>		
	Hob burners	
	Pan supports	
	Inner door glass	Yes
	Shelves	Yes
	Telescopic shelves - Fixed	
	Telescopic shelves - Removable/adjustable	Yes
	Shelf guides	Yes
	Grill rack	
	Turntable	
	Browning plate	
<b>Installation</b>		
	Gas type	
	Gas inlet type	
	Gas inlet position	
	LPG convertible	
	Hard wired	Yes
	Lead length	
	Terminal block position	Rear left
	Electrical connection	Yes
	Supply voltage	240V
	Supply frequency	
	Phase (single or 3)	Single/3 Phase
	Maximum rating	
	Total electrical power load (kW)	15.53kw
	Total gas power load (kW)	
	Fuse size (A)	32
	Fitted 3 pin plug	
<b>Dimensions</b>		
<b>Packed</b>		
	Height (mm)	1045
	Width (mm)	1130
	Depth (mm)	740
	Weight (kg)	92.2
<b>Product</b>		
	Height (mm)	900-930
	Width (mm)	996
	Depth (mm)	600
	Weight (kg)	85.2
<b>Finishes &amp; codes</b>		
<b>Colour 1</b>		<b>Black</b>
	SKU code	44444497
	EAN code	5052263044975
	AS400/Aurora model description	ST STER S1000Ei BK
	Exclusive	
<b>Colour 2</b>		<b>Stainless Steel</b>
	SKU code	44444498
	EAN code	5052263044982
	AS400/Aurora model description	ST STER S1000Ei SS
	Exclusive	